AUTHOR INDEX: VOLUME 52

Abdollah H, 1214
Abraham RD, 257
Abramowitz R, 365
Abt MEO, 746
Adelman AG, 588
Agathangelou NE, 420
Agmon J, 43
Aime F, 1238
Alam M, 309
Alikhan M, 1357
Allen HD, 1244
Allen JW, 470
Alpert BS, 563
Alpert NM, 601
Amplatz K, 449
Anderson CI, 252
Anderson RH, 341, 555, 573
Anderson RW, 65
Anderson ST, 927, 1148
Andrade JL, 325
Angus JA, 52A
Anno Y, 878
Arab L, 17B
Arbustini E, 632
Arditi A, 43
Arensman FW, 836, 1079
Armstrong CS, 595
Armstrong WF, 1088
Aroesty JM, 1144
Asinger RW, 704
Austin EH, 943

Bach SM Jr, 265
Bacharach SL, 1112
Bache RJ, 189
Baessler C, 1197
Baird DK, 96A
Bakels N, 731
Baker BJ, 381, 1275
Ballantyne D, 1146
Bar FW, 731
Bardy GH, 1202
Bargeron LM Jr, 549
Bashore TM, 304
Bassan MM, 427
Bastian BC, 316
Batlle J, 824
Battler A, 426
Baum D, 349
Bautovich G, 113A
Beaudry J-P, 669
Beck RQ, 349
Becker AE, 555
Beekman RH, 106, 112
Beerman LB, 909
Behrens TW, 704
Bellotti G, 1046
Bemis CE, 419
Benditt DG, 65, 1002, 1223
Benham ID, 1365
Benjamin P, 1050
Benson DW Jr, 65, 1002, 1223
Bentivoglio LG, 1
Benzing G III, 133
Berger BC, 365
Berger WE III, 1161
Bergman G, 1152
Berman D, 1041
Bernhard A, 1079
Bernhard WF, 830
Bernstein L, 257, 462
Bertholet M, 731, 1361
Bertrand ME, 230, 430
Bhandari A, 975
Bharati S, 336
Bierman FZ, 346
Bigger JT Jr, 47C
Bilisoly J, 755
Bishop RL, 283
Bisset GS III, 568
Bixler TJ II, 1364
Black SA, 595, 980
Blackstone EH, 549
Blankenhorn DH, 470
Blaustein AS, 950
Bleifeld W, 544
Block PJ, 14C
Blomqvist CG, 316
Bloom MGK, 73
Blue LR, 1275
Blumenthal JA, 359
Bobba P, 19
Boden WE, 1365
Boineau JP, 88
Bolli R, 390
Bolman RM, 1033
Bonchek LI, 411
Bonow RO, 1112
Bookstein FL, 384
Booth D, 1293
Borow KM, 867, 1304
Bostock J, 836
Boucher CA, 601, 801
Boudoulas H, 1152
Bough EW, 1365
Bourassa MG, 664
Bourgeois I, 731
Bove AA, 1333
Braat SH, 70, 686
Bradley EL Jr, 1155
Bramlet DA, 782
Brand A, 1258
Brasseur LA, 127, 813
Brater DC, 774
Braunwald E, 936
Brazenor RM, 52A
Bren GB, 912, 1311
Brest AN, 365
Brewster P, 693
Brischetto CS, 675
Brohet CR, 127
Bromberg J, 841
Brooks SH, 470
Broughton A, 751
Browne KF, 55
Bruce RA, 721
Brugada P, 70, 686, 731, 1214
Buchwald H, 449
Buda AJ, 384, 1340
Buja LM, 607, 893, 1326
Burka ER, 584
Bush CA, 534
Bush L, 607, 1326
Butany JW, 390
Butman S, 245
Buxton AE, 60, 969, 985, 1184, 1190
Byram MT, 1059

Cain ME, 996
Caine R, 279
Califf RM, 225, 444
Campbell RWF, 55C
Campbell WB, 439
Candell-Riera J, 824
Cannon PR, 1140
Cannon RO III, 390
Caracta AR, 1149
Carliner N, 1357
Castaneda AR, 118, 830
Chan MC, 876
Chandraratna PAN, 213, 519, 1120
Charlier AA, 813
Chazal RA, 1088
Chen C-M, 1149
Cheng G, 615
Cherian G, 796
Chesnie B, 495
Cheung HW, 1099
Chew PH, 652
Chien KR, 893
Chierchia S, 46A
Chilson DA, 55
Chimienti M, 19
Chin AJ, 118, 346
Chobanian AV, 1D, 49D
Choong CY-P, 113A
Chung EK, 365
Cikes I, 1361
Ciotola TJ, 458
Clark PI, 992
Claunch BC, 163
Cobb FR, 7, 782
Cockerham JT, 1267
Cody RJ, 512
Cohen RA, 99A
Cohn JN, 189, 1033
Cohn LH, 203
Colan SD, 867, 1304
Coleman RE, 7, 359, 782
Collins SM, 1318
Colman T, 155
Colvin S, 423
Comolli M, 19
Connolly SJ, 490, 1208
Connor SL, 675
Connor WE, 675
Conti CR, 26, 261, 656, 915
Cook AJ, 859
Cook L, 283
Corbett JR, 30, 82A, 774, 1326
Corday E, 177, 396
Correa de Araujo RR, 147
Cowan GO, 13B
Cowchock SF, 1145
Cowley MJ, 710
Craige E, 755
Crooks LE, 184
Crouse L, 1223
Currie PJ, 927, 1167
Curry RC Jr, 287

Dalpiaz K, 304
da Luz P, 1046
Damato AN, 1149
Dance G, 203
Danielson GK, 1363
D'Aranno V, 217
Dash H, 458, 1143
Daskalopoulos DA, 1363
Dassen WR, 70
Dator C, 221
Davies GJ, 46A
Davis B, 1148
DeBusk RF, 1161
De Coster PM, 453
Deeg P, 1072
Degoulet P, 1238
de Leval M, 325
Delp EJ, 384
DeMaria AN, 1293
DeMaster EG, 1033
de Moraes AV, 1046
Demoulin JC, 731, 1361
den Dulk K, 731
Denef B, 1066
DePace N, 419
DePace NL, 211, 525, 714, 789, 1054, 1359
Derbekyan VA, 507
Derwael-Barchy C, 127
Desai AG, 365
DeSanctis RW, 430
de Soyza N, 381, 1275
Detry J-MR, 453
Devereux RB, 214
Devous MD Sr, 1326
Dewey JD, 1333
de Zwaan C, 686
DiBianco R, 1281
Diemert J, 544
Dillon JC, 1088
DiSessa TG, 1084, 1249
Dodge HT, 431
Doherty JE, 381, 1275
Doherty JU, 60, 1184
Donat WE, 163
Dorros G, 710
Dos Santos LA, 420
Dreiling RJ, 1364
Driedger AA, 1099
Driscoll DJ, 1363
Drummer OH, 104A
Dubois C, 1361
Ducas J, 1299
Dumoulin M, 1066
Dunham LR, 881
Dunn MI, 1364
Dunnigan A, 65, 1002, 1223
Dupuis BA, 230
Duran CG, 155
Duran RM, 155
Durant RH, 563
Dusting GJ, 22A, 28A

Eastham CL, 1318
Echt DS, 265, 1127, 1208
Edmiston WA, 470
Edwards JE, 1108
Edwards WD, 654, 1363
Effron MK, 206
Ehlers KH, 847
Ehrman M, 727
Ehsani AA, 763
Elkayam U, 213, 519, 1041
Ellestad MH, 1181
Ellis RA, 62D
Ellison RG, 88
Elveback LR, 710
Engel TR, 279
Engle MA, 847
Engle SJ, 1084
Engler RL, 648
Erickson AD, 163
Erlein D, 704
Ernst A, 1361
Ertl G, 887
Escobar E, 424
Esente P, 221
Eshaghpour E, 92
Estes NAM III, 1091
Este ves Filho A, 1046
Ezrin AM, 621

Fassas T, 1293
Fauci AS, 321
Federman J, 927, 1148
Feigenbaum H, 1088
Feldman RC, 1127
Feldman RL, 26, 261, 656, 915
Fenton L, 615
Ferrans VJ, 215, 390, 632, 544
Ferraro N, 299
Fesler R, 127
Figueroa A, 155
Findley SL, 1112
Finley CD, 95
Firth BG, 30, 439, 774
Fischer DR, 909
Fishbein MC, 177
Fisher JD, 477
Fisher ML, 898
Fitchett D, 727
Fletcher GF, 859
Fletcher R, 1017, 1281
Flinn CJ, 621
Flood NL, 563
Flores CA, 621
Floyd RD, 943
Flugelman MY, 427
Fontana MB, 534
Ford AJ, 1127
Forsyth DR, 1036
Fortin RV, 210
Fortuin NJ, 652
Fouriaud C, 1238
Fowles RE, 862
Fox KM, 46A
Fox R, 1359
Franceschini G, 21B
Francis GS, 704, 1033
Francis PD, 133
Frank MJ, 88
Frater RWM, 1345
Freedman SB, 67A
Freedom RM, 1258
Freeman RB, 769
Freis ED, 1017
Frick MH, 681
Fricker FJ, 909
Friedman B, 43D
Friedman E, 234
Friedman HS, 485
Friedman WF, 1084, 1249
Friehling T, 279
Fuchs J, 43
Fujii A, 867
Fujii J, 755
Fujiwara H, 818
Fujiwara T, 818

Funabashi T, 48
Furberg CD, 32C
Furuta M, 818

Gaasch WH, 406
Gaffney FA, 316, 607
Galioto FM Jr, 1264
Gallagher JJ, 751, 1202
Galliani CA, 1108
Gambie WJ, 1091, 1304
Gandsman EJ, 1365
Ganote CE, 907
Ganz R, 1104
Ganz W, 92A
Garan H, 41C
Garcia-del-Castillo H, 824
Gascho JA, 739
Gay JA, 1281
Gazmuri R, 424
Geary GG, 615
Geddes LA, 403
Gelband H, 621
Gensini GG, 221
German LD, 751, 1202
Ghosal A, 769
Giambartolomei A, 221
Giani P, 217
Gilmore A, 774
Gilmore N, 727
Gilpin EA, 240
Ginsburg R, 61A
Gladden JR, 1364
Glasser SP, 992
Glazier-Laskey EE, 419
Gleicher N, 213
Glenn JF, 220
Glueck C, 28B, 31B
Gold HK, 936
Goldberg HL, 214
Goldberg L, 429
Goldberg RJ, 1290
Goldberg SJ, 1244
Golden L, 172
Golden WA, 163
Goldring D, 763, 1267
Goldstein RE, 746
Goldstein S, 309
Gollub SB, 1364
Gonzalez JB, 824
Gorgels AP, 70
Gotsman MS, 427, 921
Gottdiener JS, 1281
Gotto AM Jr, 2B, 41B
Graham RM, 316
Gralnick HR, 321
Gray JM, 43D
Grayzel J, 739
Green MV, 1112
Gressard A, 1013
Griffin JC, 501, 1127
Grodin CM, 1153
Gross K, 1084
Gross S, 43D
Grover M, 648
Gruntzig AR, 710
Guarnieri T, 751
Guilleminault C, 490
Gulamhusein SS, 292
Gundel WD, 14
Guntheroth WG, 416
Gutierrez FR, 1267
Gwathmey JK, 626

Haendchen RV, 396
Haffty BG, 167
Hagberg JM, 763
Haines DE, 14
Hakki A-H, 92, 211, 584, 714, 1054
Halon DA, 921
Hamashima Y, 818
Hamlin R, 403
Hamlin RL, 626
Hammes LN, 710
Hammill SC, 83, 1007
Hanlon WB, 960
Hanrath P, 544
Hardy BG, 172
Hariman RJ, 1149
Harjola P-T, 681
Harley JB, 321
Harper RW, 927, 1148
Harrell FE Jr, 225, 444
Harris JP, 913
Harris PJ, 113A, 257, 462
Harrison DC, 1C, 37C, 206
Harrison DG, 252
Hartmann AF Jr, 1267
Har-Zahav Y, 426
Hasin Y, 427
Haskell WL, 349
Hastreiter AR, 330
Hauer RN, 79
Haworth SG, 578
Hayashi T, 421
Heath GW, 763
Heddle B, 1214
Heger JJ, 55, 79
Hegesh J, 1050
Heintzen P, 1079
Heller GV, 950, 1144
Helmsworth JA, 133
Henning H, 240
Henry WL, 871
Henschke CI, 960
Hensley C, 353
Herfkens R, 184
Hermiller JB, 304
Hernandez A, 763
Herre JM, 501
Heymsfield SB, 220
Hicks DG, 913
Higginbotham MB, 7, 782
Higgins CB, 184
Hill CK, 26
Hill JA, 26, 261
Hill NE, 690
Hillis LD, 439
Hindle P, 359
Hindman NB, 252
Hiraishi S, 1249
Hirota Y, 421
Hiroyama N, 878
Hirschfeld SS, 568
Hirshfeld JW Jr, 809, 852
Hislop AA, 578
Hlatky MA, 225
Ho SY, 573
Hoar PF, 530
Hodges M, 704
Hohne W, 887
Holliday RL, 1099
Holloszy JO, 763
Holmes DR Jr, 710
Holt JH, 425
Horacek BM, 595, 980
Hori M, 1345
Horton J, 316
Hoshino T, 818
Hossack KF, 721
Howard SL, 629
Hoyt R, 739
Hsu I, 912
Huikuri HV, 540
Hultgren HN, 755, 862
Hung J-S, 271
Hurd HP II, 654
Hurst JW, 220
Huss P, 304
Hussain M, 1036
Hutter AM Jr, 430, 801
Huxley R, 30

Ideker RE, 252
Idriss FS, 336
Ikeda RM, 876
Ilbawi M, 336
Imran M, 265
Isabel-Jones J, 1084, 1249
Iskandrian AS, 92, 211, 584, 714, 1054
Isner JM, 210, 1091, 1153
Izzo JL Jr, 769

Jacquinet-Salord M-C, 1238
Jaenike JR, 769
James FW, 568
Janke L, 710
Jarmakani JM, 1249
Jarrott B, 104A
Jenkins JM, 384
Jennings RB, 72A
Jensen SR, 739
Jewitt DE, 1152
John VA, 27D
Johnston BL, 859
Johnston WD, 871
Jones AE, 1112
Jones M, 632
Jones RH, 943
Josephson ME, 60, 969, 985, 996, 1184, 1190

Kadota K, 955
Kaemmerlen JT, 163
Kaku K, 421
Kalbfleisch JH, 698
Kalff V, 927
Kalman P, 525
Kamakura S, 1219
Kambara H, 955
Kanarek DJ, 801
Kannagi T, 721
Kannel WB, 9B
Kansal S, 1155
Kaplan S, 133, 568
Karnegis JN, 449
Kasper W, 1272
Kassner J, 621
Katayama K, 878
Kates RE, 8C, 1208
Katz BP, 112
Katz RJ, 912, 1311
Kaufman L, 184
Kawai C, 818, 955
Kawamura K, 421
Kawanishi DT, 213, 519, 1120
Keane JF, 830
Kelly DT, 1A, 67A, 113A, 257, 462
Kelly MJ, 927, 1167
Kendall MJ, 27D, 54D
Kennedy J, 739
Kent KM, 710
Kerber RE, 739, 1318
Keren A, 639
Kernoff R, 1127
Kersh RI, 1
Keung E, 975
Keyes JW Jr, 1340
Khambatta HJ, 530
Khanderia B, 1054
Khatri IM, 1017
Kienzle MG, 60, 969, 1184
Kieso RA, 1318
Kilman J, 534
Kim SG, 477
Kimbiris D, 525, 1054
Kino M, 421
Kinoshita S, 1350
Kirklin JK, 549
Kirklin JW, 549
Klainman E, 43
Klatsky AL, 297
Kleiger RE, 234
Klein GJ, 292
Klersy C, 19
Kloner RA, 220, 610
Knox SM, 1123
Knutti JW, 1127
Kochsiek K, 887, 1072
Kohriyama T, 421
Kolibash AJ, 534
Kolman BS, 950
Kondo S, 177, 1023
Kondos G, 650
Kong Y, 225
Konstam MA, 210
Korkegi R, 1311
Kostuk WJ, 159
Kotler MN, 419, 525, 789, 1359
Kou H-C, 271
Kowey PR, 279
Koyanagi S, 1318
Koziol JA, 240
Kracoff OH, 43
Kraemer HC, 1161
Kravitz AB, 390
Krebber H-J, 431
Kreitt J, 1223
Krone RJ, 234
Kuan P, 1181
Kubo SH, 512
Kubota I, 1174
Kuehl KS, 1264
Kugler J, 1028
Kulbertus HE, 731, 1361
Kulik TJ, 65
Kulkarni P, 1326
Kupari M, 152
Kusukawa R, 878
Kusumi F, 721
Kvaternik D, 1149
Kwong T, 769

Lababidi Z, 560
Lablanche JM, 230
Laddu AR, 992
Lader E, 423
LaGamma EF, 847
Lakier JB, 309
Lalka D, 172
Lane LB, 316
Lang P, 118, 346
Lang T, 1236
Lange HW, 1108
Lange P, 1079
Langford HG, 1D
Laniado S, 1345
LaPorte SM, 1
Lappen RS, 336
Laprugne J, 1238
Laskey WK, 809, 852
Lau FYK, 470
Lebsack CS, 1206
Le Duc MA, 52A
Lee G, 876
Lee KL, 444, 1007
Lefebvre M, 210
Leiboff RH, 912, 1311
Ler CV, 304
Le ton J, 1084, 1249
Leighton RF, 693
LeJemtel TH, 1028
Lenox CC, 341, 573, 909
Leor R, 427
Lerman BB, 1367
Lev M, 336
Levin A, 214
Levin DC, 881
Levine HJ, 406
Levine TB, 1033
Levit SA, 43D
Levitsky S, 650
Levy PS, 1104
Levy RJ, 629
Lew AS, 1148
Lew H, 1161
Lewin RF, 43
Lewis B, 5B
Lewis BS, 420, 921
Lewis FR, 215
Lewis SE, 30, 82A, 1326
Lichtenstein S, 588
Liebau G, 1072
Limacher MC, 501
Lin F-C, 95, 271
Lin J-C, 607
Linday LA, 847
Lindemans FW, 731
Lipton MJ, 184
Lisbona R, 507
Littleford PO, 287
Lloyd EA, 79
Louis WJ, 104A
Lown B, 495
Lu L, 824
Lubell DL, 1152
Luck JC, 501
Luisada AA, 1133
Lyons KP, 245

Macartney FJ, 555
MacKenzie BR, 980
MacPherson D, 867
Maddox WT, 965
Madsen EB, 240
Madsen MT, 365
Maeda T, 48
Magder SA, 588, 1299
Maggi A, 217
Maggioni AP, 217
Magorien RD, 304
Magro SA, 501
Main J, 1238
Maisch B, 1072
Majdan JF, 1145
Malone P, 975
Mandelkorn JB, 1
Mann DE, 501
Manninen V, 35B
Manno BV, 92, 584
Manno CS, 584
Manyari DE, 159
Marangoni E, 19
Marchlinski FE, 60, 969, 985, 996, 1184, 1190
Marcus ML, 1318
Margolis JR, 261
Markham RV Jr, 774
Marpole DGF, 664
Martin JL, 809
Martin TC, 996, 1267
Martin TJ, 22A, 28A
Maseri A, 46A
Maskin CS, 1028
Mason DT, 876
Mason JW, 265, 1127, 1208
Matarazzo JD, 675
Materne P, 1361
Mathews RA, 909
Mathey DG, 431
Matos JA, 477

Matsuda Y, 878
Matsuhisa M, 1219
Matsuzaki M, 878
Mattleman S, 789
Matts J, 449
Mazuz M, 485
McCarthy EA, 83, 1007
McDaniel HG, 965
McEnany MT, 1365
McGregor M, 1299
McIntosh CL, 1062
McKay CR, 519
McKay RG, 1144
McKusick KA, 601
McMahon MA, 429
McManus BM, 390
McNamara JJ, 615
McNeil JJ, 104A
McPherson DD, 595, 980
Meade J, 1275
Meerbaum S, 177, 396
Mehta AV, 429
Meinertz T, 1272
Meister SG, 1
Meltzer RS, 375, 1050
Messenger JC, 1181
Meyer CR, 384
Meyer RA, 568
Mickle D, 37
Miller A, 1152
Miller JP, 234
Mintz GS, 419, 525, 789, 1359
Mintz PS, 789
Miura DS, 1123
Mock MB, 710
Moes DM, 563
Montague TJ, 595, 980
Mookherjee S, 690
Moore RB, 449
Moore RH, 601
Moore WE Jr, 316
Moorehead-Steffens C, 112
Morady F, 975, 1357
Morgan C, 1326
Morganroth J, 1197, 1359
Moritani K, 878
Morris KG, 7, 782
Moss AJ, 667
Movahed A, 656
Muccillo G, 147
Mulcahy R, 430
Muller JE, 936
Murakami T, 955
Murata T, 878
Murphree S, 644
Murphy ML, 381, 1275
Muster AJ, 336

Nadas AS, 830
Nakajima K, 1219
Nakamura T, 755
Nakanishi T, 1249
Nakano T, 1023
Nakaya S, 48
Nakayama Y, 421
Nalcioglu O, 871
Nanda NC, 913
Nanton MA, 980
Nash E, 1161
Nath PH, 425
Navarro MA, 147
Neches WH, 909
Nelson AD, 693
Nelson GIC, 1036
Nestico PF, 1054, 1359
Neufeld HN, 375, 426, 1050
Neumann A, 960
Nichols WW, 656
Nicholson MR, 462
Nicod P, 30, 82A
Nimalasuriya A, 1120
Nishimura H, 421
Nissen SE, 1293
Nohara R, 955
Nolan RD, 22A, 28A
Noone AM, 584
Northcote RJ, 1146
Norwood WI, 118
Noziri A, 1023
Nunn GR, 203
Nutter DO, 220

Ochoteco A, 155
Oeconomos J, 1238
Oetgen WJ, 746
Ogata C, 876
Ogawa H, 878
O'Hare NE, 167
Ohe T, 1219
Ohno T, 48
Okada RD, 801
Oliveira JSM, 147
Oliver GC, 234
O'Loughlin JE, 847
Olson HG, 245
O'Neill WW, 1340
Oonishi N, 1023
Opie LH, 2D
Oranburg PR, 218
Ormiston JA, 796
Orszulak TA, 429
Oster P, 17B
Oyer PE, 265

Pacifico AD, 549
Packer DL, 1202
Palmeri ST, 252
Panciroli C, 19
Pandian NG, 1318
Panidis IP, 1197
Paoletti R, 21B
Papademetriou V, 1017
Park CH, 365
Park SC, 909
Parker C, 936
Parker JA, 1144
Parkey RW, 1326
Partin JR, 654
Pasyk S, 1340
Paul MH, 336
Pelikan PCD, 652
Pepine CJ, 26, 261, 287, 656, 915
Perloff JK, 1084
Permanyer-Miralda G, 824
Perry HM Jr, 1D
Perry JC, 913
Perry LW, 1264
Peshock RM, 607
Peters J, 203
Peters RW, 1357
Peterson CE, 907
Petitti DB, 297
Pettinger WA, 316, 774
Phalente J, 1238
Phillips ER, 651
Piccoli G, 549
Pickard SD, 309
Pickering JE, 39B
Pickoff AS, 621
Pierpont GL, 1033
Pietras RJ, 650
Pilcher GF, 859
Pileggi F, 1046
Piters KM, 245
Pitt A, 927, 1148, 1167
Pitt B, 384, 1340
Pizak L Jr, 1145
Podrid P, 495
Pohost GM, 801
Poole K, 936
Poon M-C, 965
Pop T, 1272
Port S, 359
Portaluppi F, 1133
Pottage A, 24C
Pouleur H, 813
Prades A, 1238
Pratt CM, 73, 661
Previtali M, 19
Pritchett ELC, 83, 1007
Pritzker MR, 65, 1002, 1223
Pryor DB, 444
Prystowsky EN, 55, 79
Purves P, 159
Pyeritz RE, 353

Quinones MA, 73

Raabe DS, 14
Raabe DS Jr, 936
Rackley CE, 965
Radley-Smith R, 836, 1079
Radovanovic N, 1361
Raeder E, 495
Rahal DP, 669
Rahimtoola SH, 95, 213, 519, 1041, 1120
Ramires JAF, 1046
Rao PS, 655
Rath S, 426
Rati M, 1046
Reger M, 690
Reichek N, 299, 809, 852
Reid CL, 213, 519, 1120
Reimer KA, 72A
Reis RL, 876
Reiter MJ, 83, 1007
Rellas JS, 1326
Ren J-F, 525, 789
Renkin J, 453
Rich S, 650, 1104
Richards D, 731
Richmond DR, 67A
Rigby SM, 595, 980
Riggs TW, 336
Risser TA, 960
Ritchie JL, 371
Robert A, 127
Roberts CS, 610
Roberts JD, 1286
Roberts R, 661, 936
Roberts WC, A3, A9, 137, 209, 215, 218, 418, 641, 644, 647, 651, 902, 903, 907, A14, A17, 1059, 1062, 1140, 1286, 1355, 1356
Robertson NW, 501
Rocchini AP, 106, 112
Roden DM, 3C
Rodgers DM, 1
Rodriguez ER, 215, 644
Roelandt J, 375
Rogers WJ, 965
Roitman D, 1155
Rosati RA, 225, 444
Rosenthal A, 106, 841
Ross A, 1311
Ross J, 789, 1359
Ross J Jr, 240
Roubin GS, 113A, 257, 462
Rousseau MF, 813
Rowe RD, 1258
Roy D, 969
Rubin JW, 88
Rubin RE, 644
Ruckman RN, 1264
Rude RE, 30, 82A, 936
Ruskin JN, 41C
Rutherford J, 936
Ryan JM, 534

Sabiston DC Jr, 943
Sadick NN, 113A
Saffitz JE, 215, 644, 651, 907
Sahn DJ, 1244
St. John Sutton M, 299
Saito T, 421
Sakamaki T, 177
Salem DN, 210, 1091
Salerno JA, 19
Sami MH, 507
Sanchez GR, 429
Sanders SP, 118, 346, 867, 1304
Sandor T, 960
Sapoznikov D, 921
Satler LF, 425
Sato I, 1219
Sauve MJ, 975
Schaff HV, 1363
Schechtman K, 763
Scheinman MM, 975, 1223, 1357
Schentag JJ, 172
Schlant RC, 220
Schlierf G, 1B, 17B, 20B
Schluter M, 544
Schneewiess A, 426
Schocken DD, 359
Schoen FJ, 610, 629
Schoenfeld MH, 41C
Schofer J, 431
Schork A, 841
Schutte JE, 316
Schwartz AB, 975
Schwartz DC, 568
Schwartz DJ, 644
Schwartz JS, 189, 299
Schwartz KM, 287
Schweisfurth H, 887
Sclarovsky S, 43
Scott LP III, 1264
Seckinger DL, 876
Segal B, 1054
Seibert A, 871
Seino Y, 37
Selvester RH, 252
Selzer A, 416
Sen A, 893
Seres L, 824
Serino W, 325
Seyal MS, 650
Shah PK, 37
Shah PM, 177, 796
Shand DG, 7, 83, 1007
Shanes JG, 650
Shapiro SR, 1264
Sharma B, 704
Shechter JA, 1, 279
Sheehan FH, 431
Sheffield LT, 1155
Sheldahl LM, 698
Sheldon P, 184
Shell WE, 37
Shen EN, 975
Shimomura K, 1219
Shimoura K, 177
Shulman RS, 1365
Sibbald WJ, 1099
Sievers HH, 1079
Sievers R, 184
Silke B, 1036
Silva LA, 1046
Silver MA, 218, 647, 903
Silverman KJ, 1144
Silverman N, 650
Singh S, 1, 621
Sirtori CR, 21B
Sisk HE, 353
Siu B, 615
Skorton DJ, 1318
Smith A, 573
Smith CB, 101
Smith DN, 384
Smith GT, 615
Smith HC, 710
Smith IL, 22A
Smulyan H, 690
Sniderman AD, 657, 669
Sniderman K, 214
Snidow G, 1127
Soler-Soler J, 824
Somberg JC, 1123
Someren AO, 220
Somerville J, 325
Sonnenblick EH, 1028, 1345
Sonntag F, 544
Soto B, 425
Southworth W, 644
Specchia G, 19
Speir E, 390
Spencer CA, 595, 980
Sperling MA, 133
Spodick DH, 167, 283, 416, 656, 1153, 1290
Stack NC, 252
Staniloff HM, 37
Staszewska-Barczak J, 36A
Stern S, 639
Sternlight B, 1249
Stinson EB, 265
Stirling GR, 1148
St John Sutton M, 809, 852
Stobbe D, 876
Stone JG, 530
Stone PH, 936
Stowers SA, 912
Strasberg B, 43
Stratton JR, 371
Strauss AW, 1267
Strauss HW, 601, 801
Strong WB, 563
Stueve R, 881
Styns M, 127
Sugiura T, 167
Sullivan PJ, 601
Sung RJ, 975
Sutherland DJ, 595
Sutherland GR, 1099
Suwa M, 421
Swerdlow CD, 265

Takabatake S, 48
Takezawa H, 1023
Takkunen JT, 540
Tamaki S, 955
Tamitani M, 878
Tani M, 196
Taniguchi N, 48
Tatum AH, 72A
Taylor AA, 73
Taylor SH, 1D, 16D, 34D, 57D, 1036
Taylor WF, 316
Tei C, 177, 796
Temesy-Armos PN, 651

Thadani U, 10D
Thanavaro S, 234
Thapar MK, 655
Thaulow E, 466
Theis J, 876
Thenabadu PN, 381, 1275
Theroux P, 664
Thiele BL, 371
Thieuleux FA, 230
Thompson TR, 1002
Thornton M, 710
Tibbits PA, 746
Tilmant PY, 230
Tobes M, 101
Tobis J, 871
Tognoni G, 217
Toma Y, 878
Tonooka I, 1174
Topol EJ, 1367
Torkan B, 1041
Torres E, 621
Toth E, 727
Trantham JL, 751
Treese N, 1272
Trim PA, 796
Tristani FE, 698
Trusler GA, 1258
Tsuiki K, 1174
Tsujioka K, 1345
Tucker B, 1
Tuna N, 449
Tunick P, 423
Turi Z, 936
Tzivoni D, 639

Ubago JL, 155
Uchida T, 878
Untereker WJ, 809, 852
Unverferth DV, 304

Valdes-Cruz LM, 1244
Valle M, 681
Van Der Hauwaert LG, 1066
Van Der Horst RL, 330
van Eyll C, 813
Vanhoutte PM, 99A
VanVoorhees L, 1281
Vassallo R, 1359
Vatner SF, 15A
Vazquez A, 876
Vedin A, 108A
Verani MS, 1152
Vered Z, 375, 1050
Verghese C, 83
Verma SP, 1036
Vesselinovitch D, 2A
Vetrovec GW, 710
Victor MF, 789
Visser CA, 1050
Vitale DF, 1112
Vliers A, 127
Vlietstra RE, 710
Vogel M, 1258
Volpi A, 217
Vyden JK, 37

Wackers FJTh, 14
Wagner GS, 252, 943
Wagner HN Jr, 656
Waleffe A, 731
Walinsky P, 1145
Waller BF, 137
Walter PF, 220
Wapner RJ, 1145
Warner RA, 690
Warnes CA, 209, 418, 641, 902, 1062, 1140, 1355
Waspe LE, 477
Wasserman AG, 912
Watanabe Y, 1174
Waters J, 1293
Waters TJ, 644
Watson RM, 1112
Waxman HL, 60, 969, 985, 1184, 1190
Wayne VS, 283
Weber L, 1041
Weinreich DJ, 714
Weiss RJ, 101, 1340
Welch W, 650
Wellens HJJ, 70, 686, 731, 1214
Wenger NK, 658
Wernze H, 887
Wertz CE, 101
Wichmann J, 887
Wiener I, 637
Wilcken DEL, 8A
Wilcox BR, 555
Wilhelmsson C, 108A
Wilke NA, 698
Wilkinson JL, 555, 573
Willerson JT, 30, 82A, 893, 936, 1326
Williams RG, 118, 346
Williams WG, 1258
Wilson JR, 299
Wilson RA, 601
Winkle RA, 14C, 265, 490, 1208
Winniford MD, 439
Wissler RW, 2A
Wolf NM, 1
Wong M, 796
Woodman OL, 28A
Wooley CF, 534
Woosley RL, 3C
Workman MB, 1
Wright GB, 830
Wright S, 841
Wu D, 95, 271
Wu J-R, 560
Wyatt HL, 396
Wyndham CRC, 501
Wynne J, 960

Yacoub MH, 836, 1079
Yamada J, 1219
Yamakado T, 1023
Yamana K, 818
Yasui S, 1174
Yeh S-J, 271
Yellin EL, 1345
Yepsen SC, 73
Yin FCP, 652
Yonezawa F, 878
Yoran C, 1345
Yoshida H, 48
Young JB, 73
Y-Rit J, 177

Zacca NM, 1152
Zador IT, 172
Zahka KG, 353
Zamorano B, 424
Zavoral JH, 65
Zielonka JS, 601
Zimmerman JM, 1007
Zipes DP, 55, 79
Zoneraich S, 1153
Zuberbuhler JR, 341, 573, 909

SUBJECT INDEX: VOLUME 52

Abdominal compression
Validity of the hepatojugular reflux as a clinical test for congestive heart failure, 1299
Acebutolol
Comparison of the antiarrhythmic effects of acebutolol and propranolol in the treatment of ventricular arrhythmias, 992
Acylcarnitine
Fatty acylcarnitine accumulation and membrane injury in ischemic canine myocardium, 893
Adenosine hypothesis
Local factors controlling coronary circulation, 8A
Adolescents
Effect of exercise training on the blood pressure and hemodynamic features of hypertensive adolescents, 763
R-wave amplitude changes during exercise in adolescents with left ventricular pressure and volume overload, 841
Adrenoreceptors
Platelet alpha$_2$ adrenoreceptors in chronic congestive heart failure, 101
AFORMED phenomenon
The AFORMED phenomenon: a proposed etiology, 655
Aging
Clinical responses to oxprenolol in the elderly, 62D
Pathophysiologic considerations in the treatment of the elderly hypertensive patient, 49D
Pharmacokinetics of oxprenolol in the elderly, 54D
Ajmaline
Value of the ajmaline-procainamide test to predict the effect of long-term oral amiodarone on the anterograde effective refractory period of the accessory pathway in the Wolff-Parkinson-White syndrome, 70
Alpha-adrenergic blockade
Alpha-receptor restriction of coronary blood flow during atrial fibrillation, 887
Ambulatory therapy
Long-term ambulatory therapy with prazosin versus placebo for chronic heart failure: relation between clinical response and left ventricular function at rest and during exercise, 782
Amiodarone
Amiodarone distribution in human tissues after sudden death during Holter recording , 217
Dose-dependent electrophysiologic effects of amiodarone in the immature canine heart, 621
Hemodynamic effects of intravenous administration of amiodarone in congestive heart failure from chronic Chagas' disease, 1046
Long-term efficacy and toxicity of high-dose amiodarone therapy for ventricular tachycardia or ventricular fibrillation, 975
Sudden marked QT prolongation after intravenous administration of amiodarone, 1361
Value of the ajmaline-procainamide test to predict the effect of long-term oral amiodarone on the anterograde effective refractory period of the accessory pathway in the Wolff-Parkinson-White syndrome, 70
Amrinone
Amrinone therapy for congestive heart failure in outpatients with idiopathic dilated cardiomyopathy, 304
Comparative actions of hydralazine, nifedipine and amrinone in primary pulmonary hypertension, 1104
Aneurysm
Coronary arterial aneurysm formation after balloon angioplasty, 261
False aneurysm of ascending aorta after aortocoronary bypass grafting, 907
Mechanisms of closure of perimembranous ventricular septal defect, 341
Subcostal 2-dimensional echocardiographic imaging of peripheral left coronary artery aneurysms in Kawasaki disease, 48
Angina, unstable
Anatomic and prognostic significance of new T-wave inversion in unstable angina, 14
Intracoronary thrombus in nontransmural myocardial infarction and in unstable angina pectoris, 1
Unstable angina pectoris: correction of error in previous report (LE), 430
Angina, variant
Partial sympathetic denervation for variant angina pectoris (LE), 1153
Responses of dog large coronary arteries to constrictor and dilator substances: implications for the cause and treatment of variant angina pectoris, 52A
Ventricular tachyarrhythmias in Prinzmetal's variant angina: clinical significance and relation to the degree and time course of S-T segment elevation, 19
Angina pectoris
Abnormal thallium-201 scans in patients with chest pain and angiographically normal coronary arteries, 365
Adjunctive nifedipine therapy in high-risk, medically refractory, unstable angina pectoris, 950
Clinical studies of patients with coronary spasm, 67A
Detrimental effect of propranolol in patients with coronary arterial spasm countered by combination with diltiazem, 230
Effect of nifedipine alone versus in combination with beta blockers and/or nitrates on left ventricular function in angina pectoris (LE), 1152
Effects induced on blood platelets in ischemic and nonischemic myocardium, 466
Hemodynamic effects of felodipine at rest and during exercise in exertional angina pectoris, 453
Hemodynamic effects of intravenous prostacyclin in stable angina pectoris, 439
Incremental value of clinical assessment, supine exercise electrocardiography, and biplane exercise radionuclide ventriculography in the prediction of coronary artery disease in men with chest pain, 927
Left ventricular diastolic properties and filling characteristics during spontaneous angina pectoris at rest, 704
Oxprenolol in clinical practice, 34D
Partial sympathetic denervation for variant angina pectoris (LE), 1153
Prognosis after an initial non–Q-wave myocardial infarction related to coronary arterial anatomy, 462
Responses of dog large coronary arteries to constrictor and dilator substances: implications for the cause and treatment of variant angina pectoris, 52A
The effect of high-dose intravenous nitroglycerin on cardiovascular hemodynamic features and left ventricular function at rest and during exercise in patients with exertional angina, 113A
Variable susceptibility to dynamic coronary obstruction: an elusive link between coronary atherosclerosis and angina pectoris, 46A
Angiocardiography
Acute effects of phlebotomy on right ventricular size and performance in polycythemic patients with chronic obstructive pulmonary disease, 163
Analysis of the amount of tricuspid valve anular dilatation required to produce functional tricuspid regurgitation, 155
Causes of cine image quality deterioration in cardiac catheterization laboratories, 881
Clinical data versus noninvasive testing as an estimate of coronary status, 470
Delayed thrombolysis of streptokinase-resistant occlusive thrombus: documentation by pre- and postmortem coronary angiography, 210
Physical conditioning and left ventricular performance in the elderly: assessment by radionuclide angiocardiography, 359
Prognosis after an initial non–Q-wave myocardial infarction related to coronary arterial anatomy, 462
Selective coronary angiography by translumbar aortic puncture, 425
Angiocardiography, digital
Measurement of left ventricular ejection fraction by videodensitometric analysis of digital subtraction angiograms, 871
Angiocardiography, radionuclide
Comparison of high-dose and medium-dose propranolol in the relief of exercise-induced myocardial ischemia, 7
Frequency of myocardial injury after blunt chest trauma as evaluated by radionuclide angiography, 1099
Left ventricular function at rest and during exercise in congenital complete heart block: a radionuclide angiographic evaluation, 92

Noninvasive assessment of coronary artery disease, 714
Relation between QRS changes and left ventricular function after coronary artery bypass grafting, 943
Angiography
Coronary angiography: safety in numbers? 898
Myocardial metabolic alterations after contrast angiography (LE), 1152
Prognostic value of resting and submaximal exercise radionuclide ventriculography after acute myocardial infarction in high-risk patients with single and multivessel disease, 30
Progression of coronary artery disease in randomized medical and surgical patients over a 5-year angiographic follow-up, 681
Ventricular septal defect and subaortic stenosis: an analysis of 41 patients, 1258
Angiography, radionuclide
Radionuclide diagnosis of left atrial myxoma with computer-generated functional images, 1385
Angioplasty
Determinants of transstenotic gradients observed during angioplasty: an experimental model, 1311
Angioplasty, percutaneous transluminal coronary
Coronary arterial aneurysm formation after balloon angioplasty, 261
Delayed coronary occlusion after successful percutaneous transluminal coronary angioplasty: association with exercise testing, 1143
Employment and recreation patterns in patients treated by percutaneous transluminal coronary angioplasty: a multicenter study, 710
Natural history of patients with single-vessel disease suitable for percutaneous transluminal coronary angioplasty, 225
Antiarrhythmic therapy
See also Arrhythmias
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C
Differentiation of septal from free wall accessory pathway location: observations during bundle branch block in reciprocating tachycardia in the presence of type I antiarrhythmic drugs, 751
Effect of antiarrhythmic drugs on mortality after myocardial infarction, 32C
Efficacy, safety, and pharmacokinetics of a concentration-maintaining regimen of intravenous pirmenol, 83
Hemodynamic effects of antiarrhythmic drugs, 14C
Importance of metabolites in antiarrhythmic therapy, 3C
Introduction, 1C
Life-table methods for evaluating antiarrhythmic drug efficacy in patients with paroxysmal atrial tachycardia, 1007
Methods for documenting antiarrhythmic efficacy, 37C
Plasma level monitoring of antiarrhythmic drugs, 8C
Role of electrophysiologic techniques in the selection of antiarrhythmic drug regimens for ventricular arrhythmias, 41C
Treatment and prophylaxis of ventricular arrhythmias in acute myocardial infarction, 55C
Antihypertensive therapy
Clinical responses to oxprenolol in the elderly, 62D
Pathophysiologic considerations in the treatment of the elderly hypertensive patient, 49D
Anturane Reinfarction Trial
Introduction, 657
Aorta
A simple method to interpret cardiac and aortic anatomy from chest radiographs, 544
Aortic bifurcation
Natural history of platelet deposition on dacron aortic bifurcation grafts in the first year after implantation, 371
Aortic coarctation
Altered baroreceptor function in children with systolic hypertension after coarctation repair, 112
Aortic insufficiency
The AJC in November 1958, 1140
Aortico-left ventricular tunnel
Two-dimensional echocardiographic identification of aortico–left ventricular tunnel, 913
Aortic regurgitation
Accuracy of evaluation of the presence and severity of aortic and mitral regurgitation by contrast 2-dimensional echocardiography, 519
Exercise testing in aortic regurgitation: comparison of radionuclide left ventricular ejection fraction with exercise performance at the anaerobic threshold and peak exercise, 801
Fixed subaortic stenosis in the young: medical and surgical course in 83 patients, 830
Pulmonary atresia with ventricular septal defect and aortic regurgitation: diagnosis by echocardiography with diastolic vibration of both right and left sides of the ventricular septum, 419
Pulsus alternans after valve replacement for aortic regurgitation, 211
Aortic stenosis
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568
Hemodynamic responses to ergometer exercise in children and young adults with left ventricular pressure or volume overload, 563
Mechanics of pulsus alternans in aortic valve stenosis, 809
Progression of isolated aortic stenosis: analysis of 29 patients having more than 1 cardiac catheterization, 1054
Aortic valve
Aortic valve closure and cardiac vibrations in the genesis of the second heart sound, 152
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568
Aortocoronary bypass
Transient central diabetes insipidus after aortocoronary bypass operations, 1181
Arachidonic acid
Platelet function abnormalities in response to arachidonic acid in the acute phase of myocardial infarction, 965
Arrhythmias
See also Antiarrhythmic therapy
Cardiac arrhythmia and conduction disturbances during sleep in 400 patients with sleep apnea syndrome, 490
Cardiac rhythm and conduction before and after anatomic correction of transposition of the great arteries, 836
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C
Definition of benign versus malignant ventricular arrhythmias: targets for treatment, 47C
Diuretic-induced hypokalemia in uncomplicated systemic hypertension: effect of plasma potassium correction on cardiac arrhythmias, 1017
Effect of antiarrhythmic drugs on mortality after myocardial infarction, 32C
Effect of procainamide on dispersion of ventricular refractoriness, 279
Effect of quinidine on differing sensitivities of Purkinje fibers and myocardium to inhibition of monovalent cation transport by digitalis in dogs, 1123
Encainide for refractory ventricular tachyarrhythmia, 495
Frequent ventricular ectopic activity without underlying cardiac disease: analysis of 45 subjects, 980
Hemodynamic effects of antiarrhythmic drugs, 14C
Hemodynamic effects of encainide in patients with ventricular arrhythmia and poor ventricular function, 507
Introduction, 1C
Life-table methods for evaluating antiarrhythmic drug efficacy in patients with paroxysmal atrial tachycardia, 1007
Mechanisms of ventricular arrhythmias: a theoretical model derived from the concepts of "electrotonic interaction" and "longitudinal dissociation", 1350
Methods for documenting antiarrhythmic efficacy, 37C
Oxprenolol in clinical practice, 34D
Plasma level monitoring of antiarrhythmic drugs, 8C
Programmed ventricular stimulation at a second right ventricular site: an analysis of 100 patients, with special reference to sensitivity, specificity and characteristics of patients with induced ventricular tachycardia, 1184
Prolongation of the Q-T interval in man during sleep, 55
Results of a ventricular stimulation protocol using a maximum of 4 premature stimuli in patients without documented or suspected ventricular arrhythmias, 1214
Role of a catheter lead system for transvenous countershock and pacing during electrophysiologic tests: an assessment of the usefulness of catheter shocks for terminating ventricular tachyarrhythmias, 477
Role of electrophysiologic techniques in the selection of antiarrhythmic drug regimens for ventricular arrhythmias, 41C
The automatic implantable defibrillator: local ventricular bipolar sensing to detect ventricular tachycardia and fibrillation, 265

Treatment and prophylaxis of ventricular arrhythmias in acute myocardial infarction, 55C
Twenty-four-hour continuous electrocardiography during exercise and free activity in 80 apparently healthy runners, 859
Ventricular tachyarrhythmias in Prinzmetal's variant angina: clinical significance and relation to the degree and time course of S-T segment elevation, 19

Arteriosclerosis
Effects of laser irradiation on human thrombus: demonstration of a linear dissolution-dose relation between clot length and energy density, 876

Atherosclerosis
See also Coronary artery disease
Atherosclerosis—relationship to coronary blood flow, 2A
Platelet release of beta-thromboglobulin within the coronary circulation during cold pressor stress, 727
Progression of coronary artery disease in randomized medical and surgical patients over a 5-year angiographic follow-up, 681
Variable susceptibility to dynamic coronary obstruction: an elusive link between coronary atherosclerosis and angina pectoris, 46A

Athletes
Cardiac catheterization in athletes (LE), 656
Twenty-four-hour continuous electrocardiography during exercise and free activity in 80 apparently healthy runners, 859

Atrial activity, fragmented
Relation between the widening of the fragmented atrial activity zone and atrial fibrillation, 1219

Atrial dilation
Idiopathic severe bilateral atrial dilation, 426

Atrial dimension
Determination of atrial size by esophageal echocardiography, 878

Atrial fibrillation
Alpha-receptor restriction of coronary blood flow during atrial fibrillation, 887
Effectiveness and safety of oral verapamil to control exercise-induced tachycardia in patients with atrial fibrillation receiving digitalis, 1197
Relation between the widening of the fragmented atrial activity zone and atrial fibrillation, 1219
Unusual features of bypass conduction in Wolff-Parkinson-White syndrome and atrial fibrillation, 1357

Atrial myxoma
Radionuclide diagnosis of left atrial myxoma with computer-generated functional images, 1365
Two-dimensional echocardiographic features of multiple right atrial myxomas, 1364

Atrial septal defect
AJC in December 1958, 1355
Diagnosis of increased pulmonary blood flow by suprasternal M-mode echocardiography in atrial septal defect, 1272
Diastolic ventricular septal motion in atrial septal defect: analysis of M-mode echocardiograms in 31 patients, 1088
2-dimensional echocardiographic appearance of complete left-sided juxtaposition of the atrial appendages, 346
Masked subaortic stenosis in ostium primum atrial septal defect: recognition and treatment, 336
Spontaneous closure of secundum atrial septal defect in infants and young children, 1267

Atrial stimulation
Ventricular tachycardia induced by atrial stimulation in patients without symptomatic cardiac disease, 1202

Atrioventricular block
Left isomerism (polysplenia syndrome) and complete atrioventricular block (LE), 429
Left ventricular function at rest and during exercise in congenital complete heart block: a radionuclide angiographic evaluation, 92

Atrioventricular conduction
Arrhythmogenic right ventricular dysplasia associated with atrioventricular conduction disturbance, 909
Atrioventricular nodal rhythm reconsidered, 416

Atrioventricular node
Atrioventricular nodal rhythm reconsidered, 416
Dose-dependent electrophysiologic effects of amiodarone in the immature canine heart, 621
Effects of oral diltiazem in paroxysmal supraventricular tachycardia, 271
Syndromes of Lown-Ganong-Levine and enhanced atrioventricular nodal conduction, 637

Atrium
Demonstration of prostaglandin E_2 and $F_{2\alpha}$ in atrial tissue of patients with heart disease, 424

Atrium, left
Left atrial abnormality as an electrocardiographic criterion for the diagnosis of left ventricular hypertrophy in the presence of right bundle branch block, 381
Radionuclide diagnosis of left atrial myxoma with computer-generated functional images, 1365
Two-dimensional echocardiographic assessment of left atrial size in children, 1249

Atrium, right
Diagnosing tricuspid regurgitation by direct imaging of the regurgitant flow in the right atrium using contrast echocardiography, 1050
Two-dimensional echocardiographic determination of right atrial emptying volume: a noninvasive index in quantifying the degree of tricuspid regurgitation, 525
Two-dimensional echocardiographic features of multiple right atrial myxomas, 1364

Autonomic dysfunction
Abnormal cardiovascular regulation in the mitral valve prolapse syndrome, 316

Autonomic nervous system
Cardiac arrhythmia and conduction disturbances during sleep in 400 patients with sleep apnea syndrome, 490
Prolongation of the Q-T interval in man during sleep, 55

Balloon valvuloplasty
Percutaneous balloon pulmonary valvuloplasty, 560

Baroreceptor function
Altered baroreceptor function in children with systolic hypertension after coarctation repair, 112

Bendroflumethiazide
Efficacy of nadolol alone and combined with bendroflumethiazide and hydralazine for systemic hypertension, 1230

Benzafibrate
Influence of bezafibrate, fenofibrate, nicotinic acid and etofibrate on plasma high-density lipoprotein levels, 21B

Beta-adrenergic blockade
Adjunctive nifedipine therapy in high-risk, medically refractory, unstable angina pectoris, 950
Basis for cardiovascular therapy with beta-blocking agents, 2D
Beta-adrenoceptor–blocking drugs: current status and the significance of partial agonist activity, 104A
Beta blockers in hypertension, 10D
Beta blockers in ischemic heart disease, 108A
Chronic beta blockade therapy in patients after myocardial infarction, 661
Comparison of the antiarrhythmic effects of acebutolol and propranolol in the treatment of ventricular arrhythmias, 992
Detrimental effect of propranolol in patients with coronary arterial spasm countered by combination with diltiazem, 230
Effect of nifedipine alone versus in combination with beta blockers and/or nitrates on left ventricular function in angina pectoris (LE), 1152
Evaluation of metoprolol in suppressing complex ventricular arrhythmias, 73
Intrinsic sympathomimetic activity: clinical fact or fiction? 16D
Introduction, 1D
Oxprenolol in clinical practice, 34D

Beta-Blocker Heart Attack Trial
Beta blockers in ischemic heart disease, 108A

Beta-thromboglobulin
Platelet release of beta-thromboglobulin within the coronary circulation during cold pressor stress, 727

Bezold-Jarisch reflex
Coronary reperfusion and Bezold-Jarisch reflex (bradycardia and hypotension), 221

Bioprosthesis
See Valve prostheses

Biopsy
Cardiac involvement by Gaucher's disease documented by right ventricular endomyocardial biopsy, 654

Blood flow
Alpha-adrenergic regulation of the coronary circulation in the conscious dog, 15A
Alpha-receptor restriction of coronary blood flow during atrial fibrillation, 887
Atherosclerosis—relationship to coronary blood flow, 2A
Comparison of coronary hemodynamic effects of nitroprusside and sublingual nitroglycerin with anterior descending coronary arterial occlusion, 915
Diagnosis of increased pulmonary blood flow by suprasternal M-mode echocardiography in atrial septal defect, 1272

Effects of coronary occlusion on flow in the distribution of a neighboring stenotic coronary artery in the dog, 189
Effects of serotonin and histamine on proximal and distal coronary vasculature in dogs: comparison with alpha-adrenergic stimulation, 1333
Hemodynamic effects of intravenous prostacyclin in stable angina pectoris, 439
Local factors controlling coronary circulation, 8A
Pathophysiologic considerations in the treatment of the elderly hypertensive patient, 49D
Prostacyclin produced by the pericardium and its influence on coronary vascular tone, 28A

Blood pressure
Age and prior caffeine use after the cardiovascular and adrenomedullary responses to oral caffeine, 769
Effect of exercise training on the blood pressure and hemodynamic features of hypertensive adolescents, 763
Noninvasive determination of systolic, diastolic and end-systolic blood pressure in neonates, infants and young children: comparison with central aortic pressure measurements, 867
Relation between coffee drinking and blood pressure: analysis of 6,321 subjects in the Paris region, 1238

Body surface mapping
Effects of posture and respiration on body surface electrocardiogram, 595
Isointegral analysis of body surface maps for the assessment of location and size of myocardial infarction, 1174

Bradyarrhythmias
Electrophysiologic effects of theophylline in young patients with recurrent symptomatic bradyarrhythmias, 1223

Bradycardia
Coronary reperfusion and Bezold-Jarisch reflex (bradycardia and hypotension), 221

Bradykinin
Prostanoids and cardiac reflexes of sympathetic and vagal origin, 36A

Bretylium
Hemodynamic effects of antiarrhythmic drugs, 14C

Bundle branch block
Acute pulmonary edema induced by left bundle branch block, 648
Differentiation of septal from free wall accessory pathway location: observations during bundle branch block in reciprocating tachycardia in the presence of type I antiarrhythmic drugs, 751
Exercise-induced bundle branch block, 283
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95
Left atrial abnormality as an electrocardiographic criterion for the diagnosis of left ventricular hypertrophy in the presence of right bundle branch block, 381
Left bundle branch block and mechanical events of the cardiac cycle, 755
Left bundle branch block with left-axis deviation: an electrophysiologic approach, 1013

Caffeine
Age and prior caffeine use after the cardiovascular and adrenomedullary responses to oral caffeine, 769
Relation between coffee drinking and blood pressure: analysis of 6,32 : subjects in the Paris region, 1238

Calcium
Formation of cartilage in bioprosthetic cardiac valves implanted in sheep: a morphologic study, 632
Frequency and extent of calcific deposits in purely regurgitant mitral valves: analysis of 108 operatively excised valves, 1059
Mechanism of calcification of porcine bioprosthetic aortic valve cusps: role of T-lymphocytes, 629

Calcium antagonists
Calcium-entry blockers and cardiovascular disease, 99A
Hemodynamic effects of felodipine at rest and during exercise in exertional angina pectoris, 453
Long-term responses to nifedipine in patients with coronary spasm who have an initial favorable response, 26

Canine studies
Alpha-adrenergic regulation of the coronary circulation in the conscious dog, 15A
Determinants of transstenotic gradients observed during angioplasty: an experimental model, 1311
Dose-dependent electrophysiologic effects of amiodarone in the immature canine heart, 621
Effect of fluorocarbon exchange transfusion on myocardial infarction size in dogs, 203
Effects of coronary occlusion on flow in the distribution of a neighboring stenotic coronary artery in the dog, 189
Effects of heart rate on experimentally produced mitral regurgitation in dogs, 1345
Effects of serotonin and histamine on proximal and distal coronary vasculature in dogs: comparison with alpha-adrenergic stimulation, 1333
Iodine-123 phenylpentadecanoic acid: detection of acute myocardial infarction and injury in dogs using an iodinated fatty acid and single-photon emission tomography, 1326
Noninvasive quantification of jeopardized myocardial mass in dogs using 2-dimensional echocardiography and thallium-201 tomography, 1340
Nuclear magnetic resonance imaging of acute myocardial infarction in dogs: alterations in magnetic relaxation times, 184
Prostacyclin produced by the pericardium and its influence on coronary vascular tone, 28A
Relation between functional response to nitroglycerin and extent of myocardial necrosis in dogs: mapping of the left ventricle by 2-dimensional echocardiography, 177
Relations between 2-dimensional echocardiographic wall thickening abnormalities, myocardial infarct size and coronary risk area in normal and hypertrophied myocardium in dogs, 1318
Responses of dog large coronary arteries to constrictor and dilator substances: implications for the cause and treatment of variant angina pectoris, 52A
Roles of the right ventricular free wall and ventricular septum in right ventricular performance and influence of the parietal pericardium during right ventricular failure in dogs, 196

Cardiac amyloidosis
Cardiac amyloidosis causing cardiac dysfunction: analysis of 54 necropsy patients, 137

Cardiac arrest
Cardiac arrest in young, ostensibly healthy patients: clinical, hemodynamic, and electrophysiologic findings, 60
Clinical characteristics and long-term follow-up in 119 survivors of cardiac arrest: relation to inducibility at electrophysiologic testing, 969
Long-term efficacy and toxicity of high-dose amiodarone therapy for ventricular tachycardia or ventricular fibrillation, 975

Cardiac catheterization
Accuracy of evaluation of the presence and severity of aortic and mitral regurgitation by contrast 2-dimensional echocardiography, 519
Cardiac catheterization in athletes (LE), 656
Catheter evaluation of left ventricular shape and function 1 or more years after anatomic correction of transposition of great arteries, 1079
Causes of cine image quality deterioration in cardiac catheterization laboratories, 881
Collateral function in early acute myocardial infarction, 955
Contrast echocardiography to reduce ionizing radiation associated with cardiac catheterization during pregnancy, 213
Coronary angiography: safety in numbers? 896
Left ventricular diastolic properties and filling characteristics during spontaneous angina pectoris at rest, 704
Progression of isolated aortic stenosis: analysis of 29 patients having more than 1 cardiac catheterization, 1054
Value of isometric exercise testing during cardiac catheterization in mitral stenosis, 540

Cardiac dysfunction
Cardiac amyloidosis causing cardiac dysfunction: analysis of 54 necropsy patients, 137

Cardiac output
Prediction of maximal cardiac output in preoperative patients with coronary artery disease, 721

Cardiac reflexes
Prostanoids and cardiac reflexes of sympathetic and vagal origin, 36A

Cardiohemic vibrations
The main heart sounds as vibrations of the cardiohemic system: old controversy and new facts, 1133

Cardiomyopathy
Active infective endocarditis complicating idiopathic dilated cardiomyopathy, 647
Amrinone therapy for congestive heart failure in outpatients with idiopathic dilated cardiomyopathy, 304
Diagnostic relevance of humoral and cytotoxic immune reactions in primary and secondary dilated cardiomyopathy, 1072

Dilated cardiomyopathy in the idiopathic hypereosinophilic syndrome, 1359
Elevated left ventricular myocardial dopamine in preterminal idiopathic dilated cardiomyopathy, 1033
Frequency and embolic potential of left ventricular thrombus in dilated cardiomyopathy: assessment by 2-dimensional echocardiography, 1281
Histiocytoid cardiomyopathy: a cause of sudden death in apparently healthy infants, 215
Idiopathic restrictive cardiomyopathy: differences of left ventricular relaxation and diastolic wave forms from constrictive pericarditis, 421
Long-term echocardiographic assessment of dilated cardiomyopathy in children, 1066
Protection of turkeys against furazolidone-induced cardiomyopathy, 626
Two-dimensional echocardiographic evaluation of dilated cardiomyopathy in children, 1244

Cardiovascular reflexes
Circulatory autoregulation in chronic congestive heart failure: responses to head-up tilt in 41 patients, 512

Cardiovascular responses
Age and prior caffeine use after the cardiovascular and adrenomedullary responses to oral caffeine, 769

Cartilage
Formation of cartilage in bioprosthetic cardiac valves implanted in sheep: a morphologic study, 632

Catecholamines
Acute inotropic stimulation with dopamine in severe congestive heart failure: beneficial hemodynamic effect at rest but not during maximal exercise, 1028
Age and prior caffeine use after the cardiovascular and adrenomedullary responses to oral caffeine, 769
Elevated left ventricular myocardial dopamine in preterminal idiopathic dilated cardiomyopathy, 1033
Platelet alpha$_2$ adrenoreceptors in chronic congestive heart failure, 101

Cells
Early degradation of collagen after acute myocardial infarction in the rat, 390
Fibronectin: cardiovascular aspects of a ubiquitous glycoprotein, 206

Chagas' disease
Cardiac thrombosis and thromboembolism in chronic Chagas' heart disease, 147
Hemodynamic effects of intravenous administration of amiodarone in congestive heart failure from chronic Chagas' disease, 1046

Children
Altered baroreceptor function in children with systolic hypertension after coarctation repair, 112
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568
Cardiovascular effects of breathing 95 percent oxygen in children with congenital heart disease, 106
Catheter evaluation of left ventricular shape and function 1 or more years after anatomic correction of transposition of great arteries, 1079
Glucose and insulin changes in infants and children undergoing hypothermic open-heart surgery, 133
Growth and tissue abnormalities in young people with cyanotic congenital heart disease receiving systemic–pulmonary artery shunts, 349
Hemodynamic responses to ergometer exercise in children and young adults with left ventricular pressure or volume overload, 563
Left ventricular false tendons in children: prevalence as detected by 2-dimensional echocardiography and clinical significance, 1264
Long-term echocardiographic assessment of dilated cardiomyopathy in children, 1066
Mitral valve E point to ventricular septal separation in infants and children, 1084
Noninvasive determination of systolic, diastolic and end-systolic blood pressure in neonates, infants and young children: comparison with central aortic pressure measurements, 867
Postmortem digoxin tissue concentration and organ content in infancy and childhood, 330
Pulmonary vascular development: normal values of peripheral vascular structure, 576
Spontaneous closure of secundum atrial septal defect in infants and young children, 1267
The Marfan syndrome in early childhood: analysis of 15 patients diagnosed at less than 4 years of age, 353
Two-dimensional echocardiographic assessment of left atrial size in children, 1249
Two-dimensional echocardiographic evaluation of dilated cardiomyopathy in children, 1244

Chordae tendineae
Left ventricular false tendons in children: prevalence as detected by 2-dimensional echocardiography and clinical significance, 1264

Cigarette smoking
Plasma lipid and lipoprotein profiles of cigarette smokers from randomly selected families: enhancement of hyperlipidemia and depression of high-density lipoprotein, 675
Relation between coffee drinking and blood pressure: analysis of 6,321 subjects in the Paris region, 1238

Cimetidine
Effect of cimetidine on the pharmacokinetics and pharmacodynamics of quinidine, 172

Cineangiography
AJC in December 1958, 1355
Causes of cine image quality deterioration in cardiac catheterization laboratories, 881
Evaluation of left ventricular contractile pattern by intravenous digital subtraction ventriculography: comparison with cineangiography and assessment of interobserver variability, 1293
Subtle left ventricular asynergy with completely obstructed coronary arteries, 693

Clofibrate
Influence of clofibrate, bile-sequestering agents and probucol on high-density lipoprotein levels, 28B

Clonidine
Oxprenolol in the treatment of hypertension in the elderly, 57D

Coarctation
Ventricular septal defect and subaortic stenosis: an analysis of 41 patients, 1258

Coffee
Age and prior caffeine use after the cardiovascular and adrenomedullary responses to oral caffeine, 769
Relation between coffee drinking and blood pressure: analysis of 6,321 subjects in the Paris region, 1238

Cold pressor stress
Platelet release of beta-thromboglobulin within the coronary circulation during cold pressor stress, 727

Collagen
Early degradation of collagen after acute myocardial infarction in the rat, 390

Collateral circulation
Collateral function in early acute myocardial infarction, 955

Computer methods
Automatic computer processing of digital 2-dimensional echocardiograms, 384
Computer interpretation of pediatric frank vectorcardiograms in the evaluation of congenital heart disease, 127

Conduction
Cardiac arrhythmia and conduction disturbances during sleep in 400 patients with sleep apnea syndrome, 490
Double-inlet left ventricle with rudimentary right ventricle and ventriculoarterial concordance, 573
Unusual features of bypass conduction in Wolff-Parkinson-White syndrome and atrial fibrillation, 1357

Congenital heart defects
Growth and tissue abnormalities in young people with cyanotic congenital heart disease receiving systemic–pulmonary artery shunts, 349
Prolonged survival (62 years) with single ventricle, 214
Two-dimensional echocardiographic identification of aortico–left ventricular tunnel, 913

Congenital heart disease
Cardiac rhythm and conduction before and after anatomic correction of transposition of the great arteries, 836
Cardiovascular effects of breathing 95 percent oxygen in children with congenital heart disease, 106
Changing results and concepts in the surgical treatment of double-outlet right ventricle: analysis of 137 operations in 126 patients, 549
Computer interpretation of pediatric frank vectorcardiograms in the evaluation of congenital heart disease, 127
Noninvasive diagnosis of persistent fetal circulation versus congenital cardiovascular defects, 847
R-wave amplitude changes during exercise in adolescents with left ventricular pressure and volume overload, 841
Two-dimensional echocardiographic assessment of left atrial size in children, 1249

Congestive heart failure
Acute hemodynamic effect of oral nifedipine in severe chronic congestive heart failure, 1041
Acute inotropic stimulation with dopamine in severe congestive heart failure: beneficial hemodynamic effect at rest but not during maximal exercise, 1028

Amrinone therapy for congestive heart failure in outpatients with idiopathic dilated cardiomyopathy, 304
Central and regional hemodynamic effects and neurohumoral consequences of minoxidil in severe congestive heart failure and comparison to hydralazine and nitroprusside, 774
Circulatory autoregulation in chronic congestive heart failure: responses to head-up tilt in 41 patients, 512
Determinants of circulatory response to intravenous hydralazine in congestive heart failure, 299
Elevated left ventricular myocardial dopamine in preterminal idiopathic dilated cardiomyopathy, 1033
Hemodynamic comparison of primary venous or arteriolar dilatation and the subsequent effect of furosemide in left ventricular failure after acute myocardial infarction, 1036
Hemodynamic effects of intravenous administration of amiodarone in congestive heart failure from chronic Chagas' disease, 1046
Influence of volume loading on intraoperative hemodynamics and perioperative fluid retention in patients with valvular regurgitation undergoing prosthetic replacement, 530
Long-term ambulatory therapy with prazosin versus placebo for chronic heart failure: relation between clinical response and left ventricular function at rest and during exercise, 782
Platelet alpha$_2$ adrenoreceptors in chronic congestive heart failure, 101
Validity of the hepatojugular reflux as a clinical test for congestive heart failure, 1299

Contrast angiography
Myocardial metabolic alterations after contrast angiography (LE), 430

Contrast echocardiography
Diagnosis of left ventricular to right atrial shunt utilizing contrast echocardiography, 650
Hydrogen peroxide contrast echocardiography, 607
Systematic analysis of contrast echocardiograms, 375

Contrast media
Diagnosis of left ventricular to right atrial shunt utilizing contrast echocardiography, 650
Hydrogen peroxide contrast echocardiography, 607

Coronary arteries
See also Coronary artery disease
Effects of serotonin and histamine on proximal and distal coronary vasculature in dogs: comparison with alpha-adrenergic stimulation, 1333
Localization of lesions in the coronary circulation, 921
Subtle left ventricular asynergy with completely obstructed coronary arteries, 693

Coronary artery bypass
See also Surgery
Coronary artery bypass surgery during pregnancy, 1145
False aneurysm of ascending aorta after aortocoronary bypass grafting, 907
Relation between QRS changes and left ventricular function after coronary artery bypass grafting, 943

Coronary artery disease
An improving prognosis over time in medically treated patients with coronary artery disease, 444
Changing patterns of disease, 1140
Comparison of coronary hemodynamic effects of nitroprusside and sublingual nitroglycerin with anterior descending coronary arterial occlusion, 915
Coronary reperfusion and Bezold-Jarisch reflex (bradycardia and hypotension), 221
Demonstration of prostaglandin E_2 and $F_{2\alpha}$ in atrial tissue of patients with heart disease, 424
Effect of interventions in salvaging left ventricular function in acute myocardial infarction: a study of intracoronary streptokinase, 431
Employment and recreation patterns in patients treated by percutaneous transluminal coronary angioplasty: a multicenter study, 710
Enhanced evaluation of treadmill tests by means of scoring based on multivariate analysis and its clinical application: a study of 608 patients, 1155
Hemodynamic effects of felodipine at rest and during exercise in exertional angina pectoris, 453
Hemodynamic effects of intravenous prostacyclin in stable angina pectoris, 439
High-density lipoproteins: epidemiologic profile and risks of coronary artery disease, 9B
Incremental value of clinical assessment, supine exercise electrocardiography, and biplane exercise radionuclide ventriculography in the prediction of coronary artery disease in men with chest pain, 927
Left ventricular diastolic properties and filling characteristics during spontaneous angina pectoris at rest, 704
Long-term prognosis after first Q-wave (transmural) or non–Q-wave (nontransmural) myocardial infarction: analysis of 593 patients, 234
Multiple versus single coronary arterial stenosis: hemodynamic differences (LE), 656
Natural history of patients with single-vessel disease suitable for percutaneous transluminal coronary angioplasty, 225
Noninvasive assessment of coronary artery disease, 714
Prediction of maximal cardiac output in preoperative patients with coronary artery disease, 721
Preface, 1A
Prevention of coronary heart disease, 1137
Progression of coronary artery disease in randomized medical and surgical patients over a 5-year angiographic follow-up, 681
QT > QS_2 syndrome as a mortality risk factor in coronary heart disease (LE), 1152
Relation of high-density lipoproteins to coronary artery disease, 5B
The floating heart or the heart too fat to sink: analysis of 55 necropsy patients, 1286
Thrombocytosis and fatal coronary heart disease, 651

Coronary artery occlusion
Delayed coronary occlusion after successful percutaneous transluminal coronary angioplasty: association with exercise testing, 1143
Failure of pretreatment with propranolol to reduce the zone of myocardial infarction after 2 hours of coronary occlusion in the primate heart, 615
Retraction of 3 abstracts published in the AJC (LE), 220
Retraction of a published abstract (LE), 220
Retraction of a report published in the AJC (LE), 220
The AJC in September 1958, 641

Coronary artery spasm
Clinical studies of patients with coronary spasm, 67A
Detrimental effect of propranolol in patients with coronary arterial spasm countered by combination with diltiazem, 230
Effects of serotonin and histamine on proximal and distal coronary vasculature in dogs: comparison with alpha-adrenergic stimulation, 1333
Long-term responses to nifedipine in patients with coronary spasm who have an initial favorable response, 26
The isolated human epicardial coronary artery, 61A

Coronary circulation
Localization of lesions in the coronary circulation, 921
Platelet release of beta-thromboglobulin within the coronary circulation during cold pressor stress, 727

Coronary Drug Project
Uncomplicated acute myocardial infarction: long-term management, 658

Coronary reperfusion
Effect of coronary reperfusion on myocardial hemorrhage and infarct healing, 610

Coronary status
Clinical data versus noninvasive testing as an estimate of coronary status, 470

Coronary vascular regulation
Alpha-adrenergic regulation of the coronary circulation in the conscious dog, 15A

Countershock
Role of a catheter lead system for transvenous countershock and pacing during electrophysiologic tests: an assessment of the usefulness of catheter shocks for terminating ventricular tachyarrhythmias, 477

Coxsackie viral myocarditis
Coxsackie viral myocarditis causing transmural right and left ventricular infarction without coronary narrowing, 644

Creatine kinase-MB
Validation of technetium-99m stannous pyrophosphate myocardial scintigraphy for diagnosing acute myocardial infarction more than 48 hours old when serum creatine kinase-MB has returned to normal, 245

Cyanosis
Growth and tissue abnormalities in young people with cyanotic congenital heart disease receiving systemic–pulmonary artery shunts, 349

Cytoxic immune reactions
Diagnostic relevance of humoral and cytotoxic immune reactions in primary and secondary dilated cardiomyopathy, 1072

Death, sudden
Amiodarone distribution in human tissues after sudden death during Holter recording, 217
Cardiac thrombosis and thromboembolism in chronic Chagas' heart disease, 147
Histiocytoid cardiomyopathy: a cause of sudden death in apparently healthy infants, 215
Identifying patients at risk of sudden death after myocardial infarction: value of the response to programmed stimulation, degree of ventricular ectopic activity and severity of left ventricular dysfunction, 1190
Variable susceptibility to dynamic coronary obstruction: an elusive link between coronary atherosclerosis and angina pectoris, 46A
Defibrillation
Determinants of defibrillation: prospective analysis of 183 patients, 739
The automatic implantable defibrillator: local ventricular bipolar sensing to detect ventricular tachycardia and fibrillation, 265
The first human heart defibrillation, 403
Diabetes insipidus
Transient central diabetes insipidus after aortocoronary bypass operations, 1181
Diastolic function
Ratio of regurgitant volume to end-diastolic volume: a major determinant of ventricular response to surgical correction of chronic volume overload, 406
Diet
Influence of diet on high-density lipoproteins, 17B
Digitalis
Effectiveness and safety of oral verapamil to control exercise-induced tachycardia in patients with atrial fibrillation receiving digitalis, 1197
Effect of quinidine on differing sensitivities of Purkinje fibers and myocardium to inhibition of monovalent cation transport by digitalis in dogs, 1123
Digoxin
Hemodynamic effects of encainide in patients with ventricular arrhythmia and poor ventricular function, 507
Postmortem digoxin tissue concentration and organ content in infancy and childhood, 330
Diltiazem
Detrimental effect of propranolol in patients with coronary arterial spasm countered by combination with diltiazem, 230
Effects of diltiazem on cardiovascular responses during exercise in systemic hypertension and comparison with propranolol, 1023
Effects of oral diltiazem in paroxysmal supraventricular tachycardia, 271
Disopyramide
Differentiation of septal from free wall accessory pathway location: observations during bundle branch block in reciprocating tachycardia in the presence of type I antiarrhythmic drugs, 751
Hemodynamic effects of antiarrhythmic drugs, 14C
Importance of metabolites in antiarrhythmic therapy, 3C
Diuretic therapy
Diuretic-induced hypokalemia in uncomplicated systemic hypertension: effect of plasma potassium correction on cardiac arrhythmias, 1017
Oxprenolol in the treatment of hypertension in the elderly, 57D
Dobutamine
Effects of enhanced afterload (methoxamine) and contractile state (dobutamine) on the left ventricular late-systolic wall stress–dimension relation, 1304
Dopamine
Acute inotropic stimulation with dopamine in severe congestive heart failure: beneficial hemodynamic effect at rest but not during maximal exercise, 1028
Elevated left ventricular myocardial dopamine in preterminal idiopathic dilated cardiomyopathy, 1033
Doppler ultrasound
Retraction of 3 abstracts published in the AJC (LE), 220
Retraction of a published abstract (LE), 220
Retraction of a report published in the AJC (LE), 220
Double-inlet left ventricle
Double-inlet left ventricle with rudimentary right ventricle and ventriculoarterial concordance, 573
Double-outlet right ventricle
Changing results and concepts in the surgical treatment of double-outlet right ventricle: analysis of 137 operations in 126 patients, 549
Surgical anatomy of double-outlet right ventricle—a reappraisal, 555
Dysplasia
Arrhythmogenic right ventricular dysplasia associated with atrioventricular conduction disturbance, 909
Ear densitogram
Left ventricular performance during exercise: response of ear densitogram derivative, 167
Ebstein's anomaly
The AJC in August 1958, 418
Echocardiography
See also Contrast echocardiography; M-mode echocardiography; *and* Two-dimensional echocardiography
Aortic valve closure and cardiac vibrations in the genesis of the second heart sound, 152
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568
Cardiac hemochromatosis: beneficial effect of iron removal therapy: an echocardiographic study, 824
Contrast echocardiography to reduce ionizing radiation associated with cardiac catheterization during pregnancy, 213
Diagnosing tricuspid regurgitation by direct imaging of the regurgitant flow in the right atrium using contrast echocardiography, 1050
Diagnosis of increased pulmonary blood flow by suprasternal M-mode echocardiography in atrial septal defect, 1272
Diastolic ventricular septal motion in atrial septal defect: analysis of M-mode echocardiograms in 31 patients, 1088
Echocardiographic evaluation of porcine bioprosthetic valves: experience with 309 normal and 59 dysfunctioning valves, 309
Left bundle branch block and mechanical events of the cardiac cycle, 755
Left ventricular function at high altitude examined by systolic time intervals and M-mode echocardiography, 862
Long-term echocardiographic assessment of dilated cardiomyopathy in children, 1066
Pulmonary atresia with ventricular septal defect and aortic regurgitation: diagnosis by echocardiography with diastolic vibration of both right and left sides of the ventricular septum, 419
The Marfan syndrome in early childhood: analysis of 15 patients diagnosed at less than 4 years of age, 353
Ventricular septal defect and subaortic stenosis: an analysis of 41 patients, 1258
Ectopic beats
Frequent ventricular ectopic activity without underlying cardiac disease: analysis of 45 subjects, 980
Ejection fraction
Clinical data versus noninvasive testing as an estimate of coronary status, 470
Evaluation of a QRS scoring system in acute myocardial infarction: relation to infarct size, early stage left ventricular ejection fraction, and exercise performance, 37
Exercise testing in aortic regurgitation: comparison of radionuclide left ventricular ejection fraction with exercise performance at the anaerobic threshold and peak exercise, 801
Measurement of left ventricular ejection fraction by videodensitometric analysis of digital subtraction angiograms, 871
Response of patients after myocardial infarction to carrying a graded series of weight loads, 698
Value of ventricular ejection fraction in extensive anterior infarction to predict development of ventricular tachycardia, 686
Elderly patients
Clinical responses to oxprenolol in the elderly, 62D
Mitral valve prolapse syndrome: analysis of 62 patients aged 60 years and older, 534
Oxprenolol in the treatment of hypertension in the elderly, 57D
Pathophysiologic considerations in the treatment of the elderly hypertensive patient, 49D
Pharmacokinetics of oxprenolol in the elderly, 54D
Physical conditioning and left ventricular performance in the elderly: assessment by radionuclide angiocardiography, 359
United States experience with oxprenolol in hypertension, 43D
Electrical stimulation
Induction of clinical ventricular tachycardia using programmed stimulation: value of third and fourth extrastimuli, 501
Electrocardiography
Abnormal thallium-201 scans in patients with chest pain and angiographically normal coronary arteries, 365
AJC in December 1958, 1355
Anatomic and prognostic significance of new T-wave inversion in unstable angina, 14
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568

Cardiac rhythm and conduction before and after anatomic correction of transposition of the great arteries, 836
Comparison of supine and erect bicycle exercise electrocardiography in coronary heart disease: accentuation of exercise-induced ischemic ST depression by supine posture, 1167
Descriptive characteristics of the electrocardiogram from autopsied men free of cardiopulmonary disease—a basis for evaluating criteria for ventricular hypertrophy, 1275
Effects of posture and respiration on body surface electrocardiogram, 595
Electrocardiographic and clinical criteria for recognition of acute myocardial infarction based on analysis of 3,697 patients, 936
Electrocardiographic criteria for the diagnosis of anterior myocardial infarction: importance of the duration of precordial R waves, 690
Electrocardiographic events before, during and after acute myocardial infarction in 2 ambulant subjects, 1146
Hypomagnesemic torsades de pointes, 1367
Identifying patients at risk of sudden death after myocardial infarction: value of the response to programmed stimulation, degree of ventricular ectopic activity and severity of left ventricular dysfunction, 1190
Incremental value of clinical assessment, supine exercise electrocardiography, and biplane exercise radionuclide ventriculography in the prediction of coronary artery disease in men with chest pain, 927
Left atrial abnormality as an electrocardiographic criterion for the diagnosis of left ventricular hypertrophy in the presence of right bundle branch block, 381
Morphology of ventricular premature beats as an aid in the electrocardiographic diagnosis of myocardial infarction, 458
Multiform accelerated idioventricular rhythm in acute myocardial infarction: electrocardiographic characteristics and response to verapamil, 43
Noninvasive diagnosis of persistent fetal circulation versus congenital cardiovascular defects, 847
Norman Jefferis Holter and ambulatory ECG monitoring, 903
Prolongation of the Q-T interval in man during sleep, 55
Significance of prolonged electrocardiographic pauses in sinoatrial disease: sick sinus syndrome, 485
Transesophageal study of infant supraventricular tachycardia: electrophysiologic characteristics, 1002
Twenty-four-hour continuous electrocardiography during exercise and free activity in 80 apparently healthy runners, 859

Electrophysiologic studies
Clinical and electrophysiologic assessment of oral flecainide acetate for recurrent ventricular tachycardia: evidence for exacerbation of electrical instability, 746
Clinical characteristics and long-term follow-up in 119 survivors of cardiac arrest: relation to inducibility at electrophysiologic testing, 969
Effects of oral diltiazem in paroxysmal supraventricular tachycardia, 271
Electrophysiologic effects of theophylline in young patients with recurrent symptomatic bradyarrhythmias, 1223
Electrophysiologic studies in nonsustained ventricular tachycardia: relation to underlying heart disease, 985
Left bundle branch block with left-axis deviation: an electrophysiologic approach, 1013
Nature of inducible ventricular tachyarrhythmias in a canine chronic myocardial infarction model, 1127
Ventricular tachycardia induced by atrial stimulation in patients without symptomatic cardiac disease, 1202

Electrophysiologic testing
Intermittent preexcitation in the Wolff-Parkinson-White syndrome, 292
Methods for documenting antiarrhythmic efficacy, 37C
Role of a catheter lead system for transvenous countershock and pacing during electrophysiologic tests: an assessment of the usefulness of catheter shocks for terminating ventricular tachyarrhythmias, 477
Role of electrophysiologic techniques in the selection of antiarrhythmic drug regimens for ventricular arrhythmias, 41C

Electrophysiology
Cardiac arrest in young, ostensibly healthy patients: clinical, hemodynamic, and electrophysiologic findings, 65
Clinical efficacy and electrophysiology of oral propafenone for ventricular tachycardia, 1208
Dose-dependent electrophysiologic effects of amiodarone in the immature canine heart, 621

Embolization
Frequency and embolic potential of left ventricular thrombus in dilated cardiomyopathy: assessment by 2-dimensional echocardiography, 1281

Emission computed tomography
Iodine-123 phenylpentadecanoic acid: detection of acute myocardial infarction and injury in dogs using an iodinated fatty acid and single-photon emission tomography, 1326
Noninvasive quantification of jeopardized myocardial mass in dogs using 2-dimensional echocardiography and thallium-201 tomography, 1340

Encainide
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C
Encainide for refractory ventricular tachyarrhythmia, 495
Hemodynamic effects of encainide in patients with ventricular arrhythmia and poor ventricular function, 507
Importance of metabolites in antiarrhythmic therapy, 3C

Endocarditis
Active infective endocarditis complicating idiopathic dilated cardiomyopathy, 647
Fixed subaortic stenosis in the young: medical and surgical course in 83 patients, 830

Endocardium
Long-term echocardiographic assessment of dilated cardiomyopathy in children, 1066

Endomyocardial fibrosis
Noncardiovascular findings associated with heart disease in the idiopathic hypereosinophilic syndrome, 321

Endomyocardium
Cardiac involvement by Gaucher's disease documented by right ventricular endomyocardial biopsy, 654

Eosinophilia
Noncardiovascular findings associated with heart disease in the idiopathic hypereosinophilic syndrome, 321

Epicardial coronary artery
The isolated human epicardial coronary artery, 61A

Epidemiology
Discussion—high-density lipoproteins: epidemiology and physiologic influences, 20B
High-density lipoproteins: epidemiologic profile and risks of coronary artery disease, 9B
Relation between coffee drinking and blood pressure: analysis of 6,321 subjects in the Paris region, 1238

Ergonovine
Clinical studies of patients with coronary spasm, 67A
Detrimental effect of propranolol in patients with coronary arterial spasm countered by combination with diltiazem, 230

Esophageal echocardiography
Determination of atrial size by esophageal echocardiography, 878

Etofibrate
Influence of bezafibrate, fenofibrate, nicotinic acid and etofibrate on plasma high-density lipoprotein levels, 21B

Exercise
See also Exercise testing
Acute inotropic stimulation with dopamine in severe congestive heart failure: beneficial hemodynamic effect at rest but not during maximal exercise, 1028
Comparison of high-dose and medium-dose propranolol in the relief of exercise-induced myocardial ischemia, 7
Comparison of supine and erect bicycle exercise electrocardiography in coronary heart disease: accentuation of exercise-induced ischemic ST depression by supine posture, 1167
Effectiveness and safety of oral verapamil to control exercise-induced tachycardia in patients with atrial fibrillation receiving digitalis, 1197
Effect of exercise training on the blood pressure and hemodynamic features of hypertensive adolescents, 763
Effects of diltiazem on cardiovascular responses during exercise in systemic hypertension and comparison with propranolol, 1023
Evaluation of a QRS scoring system in acute myocardial infarction: relation to infarct size, early stage left ventricular ejection fraction, and exercise performance, 37
Hemodynamic effects of felodipine at rest and during exercise in exertional angina pectoris, 453
Incremental value of clinical assessment, supine exercise electrocardiography, and biplane exercise radionuclide ventriculography in the prediction of coronary artery disease in men with chest pain, 927
Influence of exercise on high-density lipoproteins, 13B

Influence of verapamil therapy on left ventricular performance at rest and during exercise in hypertrophic cardiomyopathy, 544
Left ventricular function at rest and during exercise in congenital complete heart block: a radionuclide angiographic evaluation, 92
Left ventricular performance during exercise: response of ear densitogram derivative, 167
Physical conditioning and left ventricular performance in the elderly: assessment by radionuclide angiocardiography, 359
Relation of high-intensity exercise to recurrence rate of myocardial infarction and/or coronary death (LE), 429
R-wave amplitude changes during exercise in adolescents with left ventricular pressure and volume overload, 841
The effect of high-dose intravenous nitroglycerin on cardiovascular hemodynamic features and left ventricular function at rest and during exercise in patients with exertional angina, 113A
Twenty-four-hour continuous electrocardiography during exercise and free activity in 80 apparently healthy runners, 859

Exercise testing
See also Exercise
Abnormal thallium-201 scans in patients with chest pain and angiographically normal coronary arteries, 365
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 554
Delayed coronary occlusion after successful percutaneous transluminal coronary angioplasty: association with exercise testing, 1143
Directional ST-segment deviation in graded exercise tests correlated with motion of the individual segments of the left ventricular wall, 449
Enhanced evaluation of treadmill tests by means of scoring based on multivariate analysis and its clinical application: a study of 608 patients, 1155
Exercise-induced bundle branch block, 283
Exercise stress testing in the post-myocardial infarction patient, 664
Exercise testing in aortic regurgitation: comparison of radionuclide left ventricular ejection fraction with exercise performance at the anaerobic threshold and peak exercise, 801
Hemodynamic responses to ergometer exercise in children and young adults with left ventricular pressure or volume overload, 563
Noninvasive assessment of coronary artery disease, 714
Physical conditioning and left ventricular performance in the elderly: assessment by radionuclide angiocardiography, 359
Prognostic value of resting and submaximal exercise radionuclide ventriculography after acute myocardial infarction in high-risk patients with single and multivessel disease, 30
Prognostic value of submaximal exercise radionuclide ventriculography after myocardial infarction, 82A
Response of patients after myocardial infarction to carrying a graded series of weight loads, 698
Stepwise risk stratification soon after acute myocardial infarction, 1161
Value of isometric exercise testing during cardiac catheterization in mitral stenosis, 540

Felodipine
Hemodynamic effects of felodipine at rest and during exercise in exertional angina pectoris, 453

Fenofibrate
Influence of bezafibrate, fenofibrate, nicotinic acid and etofibrate on plasma high-density lipoprotein levels, 21B

Fibronectin
Fibronectin: cardiovascular aspects of a ubiquitous glycoprotein, 206

Flecainide
Clinical and electrophysiologic assessment of oral flecainide acetate for recurrent ventricular tachycardia: evidence for exacerbation of electrical instability, 746
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C

Fluocarbon
Effect of fluocarbon exchange transfusion on myocardial infarction size in dogs, 203

From the Editor
Animal behavior—human behavior—cardiac behavior—September 1 issue, A14
Mitral commissurotomy—still a good operation—August 1 issue, A9
Season's greeting and the best for 1984, 1356
The "blessing" of angina pectoris, 1154
The summary: the manuscript's bottom line—July 1 issue, A3
Who was Holter?—October 1 issue, A17

Furazolidone
Protection of turkeys against furazolidone-induced cardiomyopathy, 626

Furosemide
Hemodynamic comparison of primary venous or arteriolar dilatation and the subsequent effect of furosemide in left ventricular failure after acute myocardial infarction, 1036

Gaucher's disease
Cardiac involvement by Gaucher's disease documented by right ventricular endomyocardial biopsy, 654

Gemfibrozil
Clinical results with gemfibrozil, 39B
Clinical results with gemfibrozil and background to the Helsinki Heart Study, 35B
Influence of gemfibrozil on high-density lipoproteins, 31B

Glucose-insulin
Glucose and insulin changes in infants and children undergoing hypothermic open-heart surgery, 133

Glycoprotein
Fibronectin: cardiovascular aspects of a ubiquitous glycoprotein, 206

Grafts
Natural history of platelet deposition on dacron aortic bifurcation grafts in the first year after implantation, 371

Health care
Coronary angiography: safety in numbers? 898

Health Insurance Plan of New York
Uncomplicated acute myocardial infarction: long-term management, 658

Heart murmur
Left ventricular false tendons in children: prevalence as detected by 2-dimensional echocardiography and clinical significance, 1264

Heart rate
Effects of heart rate on experimentally produced mitral regurgitation in dogs, 1345

Heart sounds
Aortic valve closure and cardiac vibrations in the genesis of the second heart sound, 152
The main heart sounds as vibrations of the cardiohemic system: old controversy and new facts, 1133

Helsinki Heart Study
Clinical results with gemfibrozil and background to the Helsinki Heart Study, 35B

Hemochromatosis
Cardiac hemochromatosis: beneficial effect of iron removal therapy: an echocardiographic study, 824

Hemodynamics
Acute hemodynamic effect of oral nifedipine in severe chronic congestive heart failure, 1041
Acute inotropic stimulation with dopamine in severe congestive heart failure: beneficial hemodynamic effect at rest but not during maximal exercise, 1028
AJC in December 1958, 1355
Cardiac arrest in young, ostensibly healthy patients: clinical, hemodynamic, and electrophysiologic findings, 65
Central and regional hemodynamic effects and neurohumoral consequences of minoxidil in severe congestive heart failure and comparison to hydralazine and nitroprusside, 774
Circulatory autoregulation in chronic congestive heart failure: responses to head-up tilt in 41 patients, 512
Determinants of circulatory response to intravenous hydralazine in congestive heart failure, 299
Effect of exercise training on the blood pressure and hemodynamic features of hypertensive adolescents, 763
Effects of heart rate on experimentally produced mitral regurgitation in dogs, 1345
Effects of negative pleural pressure on left ventricular hemodynamics, 588
Hemodynamic comparison of primary venous or arteriolar dilatation and the subsequent effect of furosemide in left ventricular failure after acute myocardial infarction, 1036
Hemodynamic effects of antiarrhythmic drugs, 14C
Hemodynamic effects of encainide in patients with ventricular arrhythmia and poor ventricular function, 507
Hemodynamic effects of felodipine at rest and during exercise in exertional angina pectoris, 453
Hemodynamic effects of intravenous administration of amiodarone in congestive heart failure from chronic Chagas' disease, 1046
Hemodynamic effects of intravenous prostacyclin in stable angina pectoris, 439

Hemodynamic responses to ergometer exercise in children and young adults with left ventricular pressure or volume overload, 563
Influence of volume loading on intraoperative hemodynamics and perioperative fluid retention in patients with valvular regurgitation undergoing prosthetic replacement, 530
Intrinsic sympathomimetic activity: clinical fact or fiction? 16D
Spontaneous closure of secundum atrial septal defect in infants and young children, 1267
The AJC in July 1958, 209
The effect of high-dose intravenous nitroglycerin on cardiovascular hemodynamic features and left ventricular function at rest and during exercise in patients with exertional angina, 113A
Hepatojugular reflux
Validity of the hepatojugular reflux as a clinical test for congestive heart failure, 1299
High-density lipoproteins
Clinical results with gemfibrozil, 39B
Discussion—effects of pharmacologic intervention on high-density lipoproteins, 41B
Discussion—high-density lipoproteins: epidemiology and physiologic influences, 20B
High-density lipoproteins: biochemical and metabolic factors, 2B
High-density lipoproteins: epidemiologic profile and risks of coronary artery disease, 9B
Influence of bezafibrate, fenofibrate, nicotinic acid and etofibrate on plasma high-density lipoprotein levels, 21B
Influence of clofibrate, bile-sequestering agents and probucol on high-density lipoprotein levels, 28B
Influence of diet on high-density lipoproteins, 17B
Influence of exercise on high-density lipoproteins, 13B
Influence of gemfibrozil on high-density lipoproteins, 31B
Opening remarks, 1B
Relation of high-density lipoproteins to coronary artery disease, 5B
Histamine
Effects of serotonin and histamine on proximal and distal coronary vasculature in dogs: comparison with alpha-adrenergic stimulation, 1333
Holmes heart
Double-inlet left ventricle with rudimentary right ventricle and ventriculoarterial concordance, 573
Holter, Norman Jefferis
Norman Jefferis Holter and ambulatory ECG monitoring, 903
Holter monitoring
Amiodarone distribution in human tissues after sudden death during Holter recording , 217
Norman Jefferis Holter and ambulatory ECG monitoring, 903
Humoral immune reactions
Diagnostic relevance of humoral and cytotoxic immune reactions in primary and secondary dilated cardiomyopathy, 1072
Hyaluronidase
Electrocardiographic and clinical criteria for recognition of acute myocardial infarction based on analysis of 3,697 patients, 936
Hydatid cyst
Two-dimensional echocardiographic study of a cardiac hydatid cyst, 1361
Hydralazine
Central and regional hemodynamic effects and neurohumoral consequences of minoxidil in severe congestive heart failure and comparison to hydralazine and nitroprusside, 774
Comparative actions of hydralazine, nifedipine and amrinone in primary pulmonary hypertension, 1104
Determinants of circulatory response to intravenous hydralazine in congestive heart failure, 299
Efficacy of nadolol alone and combined with bendroflumethiazide and hydralazine for systemic hypertension, 1230
Hemodynamic comparison of primary venous or arteriolar dilatation and the subsequent effect of furosemide in left ventricular failure after acute myocardial infarction, 1036
Hydrochlorothiazide
United States experience with oxprenolol in hypertension, 43D
Hydrogen peroxide
Hydrogen peroxide contrast echocardiography, 607
Hypereosinophilia
Noncardiovascular findings associated with heart disease in the idiopathic hypereosinophilic syndrome, 321
Hyperglycemia
Glucose and insulin changes in infants and children undergoing hypothermic open-heart surgery, 133
Hyperlipidemia
Plasma lipid and lipoprotein profiles of cigarette smokers from randomly selected families: enhancement of hyperlipidemia and depression of high-density lipoprotein, 675
Hypertension
Altered baroreceptor function in children with systolic hypertension after coarctation repair, 112
Beta blockers in hypertension, 10D
Comparative actions of hydralazine, nifedipine and amrinone in primary pulmonary hypertension, 1104
Diuretic-induced hypokalemia in uncomplicated systemic hypertension: effect of plasma potassium correction on cardiac arrhythmias, 1017
Effect of exercise training on the blood pressure and hemodynamic features of hypertensive adolescents, 763
Effects of diltiazem on cardiovascular responses during exercise in systemic hypertension and comparison with propranolol, 1023
Efficacy of nadolol alone and combined with bendroflumethiazide and hydralazine for systemic hypertension, 1230
Malignant hypertension in women aged 15 to 44 years and its relation to cigarette smoking and oral contraceptives, 297
Oxprenolol in clinical practice, 34D
Oxprenolol in the treatment of hypertension in the elderly, 57D
Pathophysiologic considerations in the treatment of the elderly hypertensive patient, 49D
Platelet release of beta-thromboglobulin within the coronary circulation during cold pressor stress, 727
Relations between 2-dimensional echocardiographic wall thickening abnormalities, myocardial infarct size and coronary risk area in normal and hypertrophied myocardium in dogs, 1318
The AJC in August 1958, 418
United States experience with oxprenolol in hypertension, 43D
Hypertrophic cardiomyopathy
Force-velocity-length relations in hypertrophic cardiomyopathy: evidence of normal or depressed myocardial contractility, 813
Influence of verapamil therapy on left ventricular performance at rest and during exercise in hypertrophic cardiomyopathy, 544
Number and size of myocytes and amount of interstitial space in the ventricular septum and in the left ventricular free wall in hypertrophic cardiomyopathy, 818
Hypertrophy
Relations between 2-dimensional echocardiographic wall thickening abnormalities, myocardial infarct size and coronary risk area in normal and hypertrophied myocardium in dogs, 1318
Hypokalemia
Diuretic-induced hypokalemia in uncomplicated systemic hypertension: effect of plasma potassium correction on cardiac arrhythmias, 1017
Hypotension
Coronary reperfusion and Bezold-Jarisch reflex (bradycardia and hypotension), 221
Iatrogenic lesions
Local complications associated with indwelling Swan-Ganz catheters: autopsy study of 36 cases, 1108
Idiopathic hypereosinophilic syndrome
Dilated cardiomyopathy in the idiopathic hypereosinophilic syndrome, 1359
Imaging, cardiac blood pool
Hemodynamic effects of encainide in patients with ventricular arrhythmia and poor ventricular function, 507
Indium-111
Natural history of platelet deposition on dacron aortic bifurcation grafts in the first year after implantation, 371
Infants
2-dimensional echocardiographic appearance of complete left-sided juxtaposition of the atrial appendages, 346
Glucose and insulin changes in infants and children undergoing hypothermic open-heart surgery, 133
Histiocytoid cardiomyopathy: a cause of sudden death in apparently healthy infants, 215
Mitral valve E point to ventricular septal separation in infants and children, 1084
Noninvasive determination of systolic, diastolic and end-systolic blood pressure in neonates, infants and young children: comparison with central aortic pressure measurements, 867
Postmortem digoxin tissue concentration and organ content in infancy and childhood, 330
Spontaneous closure of secundum atrial septal defect in infants and young children, 1267
The Marfan syndrome in early childhood: analysis of 15 patients diagnosed at less than 4 years of age, 353

Transesophageal study of infant supraventricular tachycardia: electrophysiologic characteristics, 1002

Infarct size
Relations between 2-dimensional echocardiographic wall thickening abnormalities, myocardial infarct size and coronary risk area in normal and hypertrophied myocardium in dogs, 1318

Intrinsic sympathomimetic activity
Basis for cardiovascular therapy with beta-blocking agents, 2D
Intrinsic sympathomimetic activity: clinical fact or fiction? 16D

Iodine-123 phenylpentadecanoic acid
Iodine-123 phenylpentadecanoic acid: detection of acute myocardial infarction and injury in dogs using an iodinated fatty acid and single-photon emission tomography, 1326

Iron removal therapy
Cardiac hemochromatosis: beneficial effect of iron removal therapy: an echocardiographic study, 824

Ischemia, myocardial
Beta blockers in ischemic heart disease, 108A
Calcium-entry blockers and cardiovascular disease, 99A
Comparison of high-dose and medium-dose propranolol in the relief of exercise-induced myocardial ischemia, 7
Comparison of supine and erect bicycle exercise electrocardiography in coronary heart disease: accentuation of exercise-induced ischemic ST depression by supine posture, 1167
Effects induced on blood platelets in ischemic and nonischemic myocardium, 466
Enhanced evaluation of treadmill tests by means of scoring based on multivariate analysis and its clinical application: a study of 608 patients, 1155
Fatty acylcarnitine accumulation and membrane injury in ischemic canine myocardium, 893
Regression of ST depressions despite ongoing ischemia, 1144
Relation between functional response to nitroglycerin and extent of myocardial necrosis in dogs: mapping of the left ventricle by 2-dimensional echocardiography, 177

Isosorbide dinitrate
Hemodynamic comparison of primary venous or arteriolar dilatation and the subsequent effect of furosemide in left ventricular failure after acute myocardial infarction, 1036
Long-term responses to nifedipine in patients with coronary spasm who have an initial favorable response, 26

Juxtaposition of the atrial appendages
2-dimensional echocardiographic appearance of complete left-sided juxtaposition of the atrial appendages, 346

Kawasaki disease
Acute myocardial infarction 14 years after an acute episode of Kawasaki's disease, 427
Subcostal 2-dimensional echocardiographic imaging of peripheral left coronary artery aneurysms in Kawasaki disease, 48

Lasers
Effects of laser irradiation on human thrombus: demonstration of a linear dissolution-dose relation between clot length and energy density, 876

Left-axis deviation
Left bundle branch block with left-axis deviation: an electrophysiologic approach, 1013

Left isomerism
Left isomerism (polysplenia syndrome) and complete atrioventricular block (LE), 429

Left ventricular function
Automatic computer processing of digital 2-dimensional echocardiograms, 384
Coronary and left ventricular angiographic anatomy and prognosis of survivors of first acute myocardial infarction, 257
Influence of verapamil therapy on left ventricular performance at rest and during exercise in hypertrophic cardiomyopathy, 544
Physical conditioning and left ventricular performance in the elderly: assessment by radionuclide angiocardiography, 359
Ratio of regurgitant volume to end-diastolic volume: a major determinant of ventricular response to surgical correction of chronic volume overload, 406
The effect of high-dose intravenous nitroglycerin on cardiovascular hemodynamic features and left ventricular function at rest and during exercise in patients with exertional angina, 113A

Letters to the Editor
Basic requirements for investigating systolic time intervals, 656
Bypass grafting in total occlusion of the left main coronary artery, 429
Cardiac catheterization in athletes, 656
Diagnosis of subepicardial adipose tissue by older and newer techniques, 1153
Effect of nifedipine alone versus in combination with beta blockers and/or nitrates on left ventricular function in angina pectoris, 1152
Left isomerism (polysplenia syndrome) and complete atrioventricular block, 429
Multiple versus single coronary arterial stenosis: hemodynamic differences, 656
Myocardial metabolic alterations after contrast angiography, 430, 1152
Partial sympathetic denervation for variant angina pectoris, 1153
$QT > QS_2$ syndrome as a mortality risk factor in coronary heart disease, 1152
Relation of high-intensity exercise to recurrence rate of myocardial infarction and/or coronary death, 429
Retraction of 3 abstracts published in the AJC, 220
Retraction of a published abstract, 220
Retraction of a report published in the AJC, 220
The editor's correspondence: analysis of patterns appearing in selected specialty and general journals, 1290
Transmural versus nontransmural myocardial infarction, 430
Unstable angina pectoris: correction of error in previous report, 430

Lidocaine
Determinants of defibrillation: prospective analysis of 183 patients, 739
Hemodynamic effects of antiarrhythmic drugs, 14C
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95

Lipoproteins
See also High-density lipoproteins
High-density lipoproteins: biochemical and metabolic factors, 2B
Opening remarks, 1B
Plasma lipid and lipoprotein profiles of cigarette smokers from randomly selected families: enhancement of hyperlipidemia and depression of high-density lipoprotein, 675

Longitudinal dissociation
Mechanisms of ventricular arrhythmias: a theoretical model derived from the concepts of "electrotonic interaction" and "longitudinal dissociation", 1350

Lorcainide
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C
Importance of metabolites in antiarrhythmic therapy, 3C

Lown-Ganong-Levine syndrome
Syndromes of Lown-Ganong-Levine and enhanced atrioventricular nodal conduction, 637

Lung tissue
Pulmonary vascular development: normal values of peripheral vascular structure, 578

Magnesium deficiency
Hypomagnesemic torsades de pointes, 1367

Magnetic relaxation times
Nuclear magnetic resonance imaging of acute myocardial infarction in dogs: alterations in magnetic relaxation times, 184

Mapping, ventricular
See also Body surface mapping
Relation between functional response to nitroglycerin and extent of myocardial necrosis in dogs: mapping of the left ventricle by 2-dimensional echocardiography, 177
Relation of mode of induction and cycle length of ventricular tachycardia: analysis of 104 patients, 60

Marfan syndrome
The Marfan syndrome in early childhood: analysis of 15 patients diagnosed at less than 4 years of age, 353

Membrane-stabilizing activity
Basis for cardiovascular therapy with beta-blocking agents, 2D

Metabolic alterations
Intrinsic sympathomimetic activity: clinical fact or fiction? 16D
Myocardial metabolic alterations after contrast angiography (LE), 430

Metabolites
Importance of metabolites in antiarrhythmic therapy, 3C

Methoxamine
Alpha-adrenergic regulation of the coronary circulation in the conscious dog, 15A
Effects of enhanced afterload (methoxamine) and contractile state (dobutamine) on the left ventricular late-systolic wall stress–dimension relation, 1304
Methyldopa
Oxprenolol in the treatment of hypertension in the elderly, 57D
Metoprolol
Beta blockers in ischemic heart disease, 108A
Evaluation of metoprolol in suppressing complex ventricular arrhythmias, 73
Mexiletine
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C
MILIS Study Group
Electrocardiographic and clinical criteria for recognition of acute myocardial infarction based on analysis of 3,697 patients, 936
Minoxidil
Central and regional hemodynamic effects and neurohumoral consequences of minoxidil in severe congestive heart failure and comparison to hydralazine and nitroprusside, 774
Mitral commissurotomy
Current status of mitral commissurotomy: indications, techniques, and results, 411
Mitral insufficiency
The AJC in July 1958, 209
The AJC in September 1958, 641
Mitral regurgitation
Accuracy of evaluation of the presence and severity of aortic and mitral regurgitation by contrast 2-dimensional echocardiography, 519
Effects of heart rate on experimentally produced mitral regurgitation in dogs, 1345
Frequency and extent of calcific deposits in purely regurgitant mitral valves: analysis of 108 operatively excised valves, 1059
Mitral valve prolapse syndrome: analysis of 62 patients aged 60 years and older, 534
Natural history of the flail mitral leaflet syndrome: a serial 2-dimensional echocardiographic study, 789
Severe mitral regurgitation immediately after mitral valve replacement with a parietal pericardial bovine bioprosthesis, 218
The AJC in August 1958, 418
The AJC in July 1958, 209
Mitral stenosis
The AJC in July 1958, 209
Value of isometric exercise testing during cardiac catheterization in mitral stenosis, 540
Mitral valve
Abnormal cardiovascular regulation in the mitral valve prolapse syndrome, 316
Frequency and extent of calcific deposits in purely regurgitant mitral valves: analysis of 108 operatively excised valves, 1059
Mitral valve E point to ventricular septal separation in infants and children, 1084
Mitral valve prolapse syndrome: analysis of 62 patients aged 60 years and older, 534
Natural history of the flail mitral leaflet syndrome: a serial 2-dimensional echocardiographic study, 789
Retraction of 3 abstracts published in the AJC (LE), 220
Severe mitral regurgitation immediately after mitral valve replacement with a parietal pericardial bovine bioprosthesis, 218
The Marfan syndrome in early childhood: analysis of 15 patients diagnosed at less than 4 years of age, 353
Value of isometric exercise testing during cardiac catheterization in mitral stenosis, 540
M-mode echocardiography
Diagnosis of increased pulmonary blood flow by suprasternal M-mode echocardiography in atrial septal defect, 1272
Diastolic ventricular septal motion in atrial septal defect: analysis of M-mode echocardiograms in 31 patients, 1088
Left ventricular function at high altitude examined by systolic time intervals and M-mode echocardiography, 862
Mortality
Effect of antiarrhythmic drugs on mortality after myocardial infarction, 32C
Periods of differing mortality distribution during the first year after acute myocardial infarction, 240
Mouse studies
Mechanism of calcification of porcine bioprosthetic aortic valve cusps: role of T-lymphocytes, 629
Mueller maneuver
Effects of negative pleural pressure on left ventricular hemodynamics, 588
Multicenter International Study
Chronic beta blockade therapy in patients after myocardial infarction, 661
Myocardial contraction
Force-velocity-length relations in hypertrophic cardiomyopathy: evidence of normal or depressed myocardial contractility, 813
Myocardial hemorrhage
Effect of coronary reperfusion on myocardial hemorrhage and infarct healing, 610
Myocardial infarction
Acute myocardial infarction 14 years after an acute episode of Kawasaki's disease, 427
Beta blockers in ischemic heart disease, 108A
Chronic beta blockade therapy in patients after myocardial infarction, 661
Collateral function in early acute myocardial infarction, 955
Coronary and left ventricular angiographic anatomy and prognosis of survivors of first acute myocardial infarction, 257
Early degradation of collagen after acute myocardial infarction in the rat, 390
Early recognition of the patient at late high risk: incomplete infarction and vulnerable myocardium, 669
Effect of antiarrhythmic drugs on mortality after myocardial infarction, 32C
Effect of coronary reperfusion on myocardial hemorrhage and infarct healing, 610
Effect of fluocarbon exchange transfusion on myocardial infarction size in dogs, 203
Effect of interventions in salvaging left ventricular function in acute myocardial infarction: a study of intracoronary streptokinase, 431
Electrocardiographic and clinical criteria for recognition of acute myocardial infarction based on analysis of 3,697 patients, 936
Electrocardiographic criteria for the diagnosis of anterior myocardial infarction: importance of the duration of precordial R waves, 690
Electrocardiographic events before, during and after acute myocardial infarction in 2 ambulant subjects, 1146
Enhanced evaluation of treadmill tests by means of scoring based on multivariate analysis and its clinical application: a study of 608 patients, 1155
Evaluation of a QRS scoring system in acute myocardial infarction: relation to infarct size, early stage left ventricular ejection fraction, and exercise performance, 37
Evaluation of serial QRS changes during acute inferior myocardial infarction using a QRS scoring system, 252
Exercise stress testing in the post-myocardial infarction patient, 664
Failure of pretreatment with propranolol to reduce the zone of myocardial infarction after 2 hours of coronary occlusion in the primate heart, 615
Hemodynamic comparison of primary venous or arteriolar dilatation and the subsequent effect of furosemide in left ventricular failure after acute myocardial infarction, 1036
Identifying patients at risk of sudden death after myocardial infarction: value of the response to programmed stimulation, degree of ventricular ectopic activity and severity of left ventricular dysfunction, 1190
Intracoronary thrombolysis in acute myocardial infarction, 92A
Intracoronary thrombus in nontransmural myocardial infarction and in unstable angina pectoris, 1
Introduction, 657
Iodine-123 phenylpentadecanoic acid: detection of acute myocardial infarction and injury in dogs using an iodinated fatty acid and single-photon emission tomography, 1326
Isointegral analysis of body surface maps for the assessment of location and size of myocardial infarction, 1174
Long-term prognosis after first Q-wave (transmural) or non–Q-wave (nontransmural) myocardial infarction: analysis of 593 patients, 234
Morphology of ventricular premature beats as an aid in the electrocardiographic diagnosis of myocardial infarction, 458
Multiform accelerated idioventricular rhythm in acute myocardial infarction: electrocardiographic characteristics and response to verapamil, 43
Myocardial infarction complicated by rupture of both ventricular septum and right ventricular papillary muscle, 423
Nature of inducible ventricular tachyarrhythmias in a canine chronic myocardial infarction model, 1127
Noninvasive quantification of jeopardized myocardial mass in dogs using 2-dimensional echocardiography and thallium-201 tomography, 1340
Nuclear magnetic resonance imaging of acute myocardial infarction in dogs: alterations in magnetic relaxation times, 184

Periods of differing mortality distribution during the first year after acute myocardial infarction, 240
Platelet function abnormalities in response to arachidonic acid in the acute phase of myocardial infarction, 965
Prognosis after an initial non–Q-wave myocardial infarction related to coronary arterial anatomy, 462
Prognosis after myocardial infarction, 667
Prognostic value of resting and submaximal exercise radionuclide ventriculography after acute myocardial infarction in high-risk patients with single and multivessel disease, 30
Prognostic value of submaximal exercise radionuclide ventriculography after myocardial infarction, 82A
Quantitative computer-assisted analysis of left ventricular wall thickening and motion by 2-dimensional echocardiography in acute myocardial infarction, 960
Relation of high-intensity exercise to recurrence rate of myocardial infarction and/or coronary death (LE), 429
Response of patients after myocardial infarction to carrying a graded series of weight loads, 698
Right ventricular thrombus formation in association with acute myocardial infarction: diagnosis by 2-dimensional echocardiography, 912
Stepwise risk stratification soon after acute myocardial infarction, 1161
The AJC in October 1958, 902
Transmural versus nontransmural myocardial infarction (LE), 430
Treatment and prophylaxis of ventricular arrhythmias in acute myocardial infarction, 55C
Uncomplicated acute myocardial infarction: long-term management, 658
Validation of technetium-99m stannous pyrophosphate myocardial scintigraphy for diagnosing acute myocardial infarction more than 48 hours old when serum creatine kinase-MB has returned to normal, 245
Value of ventricular ejection fraction in extensive anterior infarction to predict development of ventricular tachycardia, 556
Variable susceptibility to dynamic coronary obstruction: an elusive link between coronary atherosclerosis and angina pectoris, 46A

Myocardial injury
Frequency of myocardial injury after blunt chest trauma as evaluated by radionuclide angiography, 1099

Myocardial ischemia
Pathobiology of acute myocardial ischemia: metabolic, functional and ultrastructural studies, 72A

Myocardial oxygen consumption
Myocardial oxygen consumption in left ventricular hypertrophy and its relation to left ventricular mechanics, 852

Myocarditis
Two-dimensional echocardiographic evaluation of dilated cardiomyopathy in children, 1244

Myocardium
Early recognition of the patient at late high risk: incomplete infarction and vulnerable myocardium, 669
Effect of quinidine on differing sensitivities of Purkinje fibers and myocardium to inhibition of monovalent cation transport by digitalis in dogs, 1123
Effects induced on blood platelets in ischemic and nonischemic myocardium, 466
Elevated left ventricular myocardial dopamine in preterminal idiopathic dilated cardiomyopathy, 1033
Fatty acylcarnitine accumulation and membrane injury in ischemic canine myocardium, 893
Noninvasive quantification of jeopardized myocardial mass in dogs using 2-dimensional echocardiographic and thallium-201 tomography, 1340
Relations between 2-dimensional echocardiographic wall thickening abnormalities, myocardial infarct size and coronary risk area in normal and hypertrophied myocardium in dogs, 1318

Myocytes
Number and size of myocytes and amount of interstitial space in the ventricular septum and in the left ventricular free wall in hypertrophic cardiomyopathy, 81B

N-acetylprocainamide
Importance of metabolites in antiarrhythmic therapy, 3C

Nadolol
Efficacy of nadolol alone and combined with bendroflumethiazide and hydralazine for systemic hypertension, 1230

National Heart Foundation of Australia
Coronary artery surgery in Australia: report from the Committee of the National Heart Foundation Coronary Artery Surgery Register, 96A
Preface, 1A

Necropsy
Cardiac amyloidosis causing cardiac dysfunction: analysis of 54 necropsy patients, 137
The floating heart or the heart too fat to sink: analysis of 55 necropsy patients, 1286

Negative pleural pressure
Effects of negative pleural pressure on left ventricular hemodynamics, 588

Neonates
Noninvasive determination of systolic, diastolic and end-systolic blood pressure in neonates, infants and young children: comparison with central aortic pressure measurements, 867

Nicotinic acid
Influence of bezafibrate, fenofibrate, nicotinic acid and etofibrate on plasma high-density lipoprotein levels, 21B

Nifedipine
Acute hemodynamic effect of oral nifedipine in severe chronic congestive heart failure, 1041
Adjunctive nifedipine therapy in high-risk, medically refractory, unstable angina pectoris, 950
Comparative actions of hydralazine, nifedipine and amrinone in primary pulmonary hypertension, 1104
Effect of nifedipine alone versus in combination with beta blockers and/or nitrates on left ventricular function in angina pectoris (LE), 1152
Long-term responses to nifedipine in patients with coronary spasm who have an initial favorable response, 26

Nitroglycerin
Comparison of coronary hemodynamic effects of nitroprusside and sublingual nitroglycerin with anterior descending coronary arterial occlusion, 915
Relation between functional response to nitroglycerin and extent of myocardial necrosis in dogs: mapping of the left ventricle by 2-dimensional echocardiography, 177
The effect of high-dose intravenous nitroglycerin on cardiovascular hemodynamic features and left ventricular function at rest and during exercise in patients with exertional angina, 113A

Nitroprusside
Central and regional hemodynamic effects and neurohumoral consequences of minoxidil in severe congestive heart failure and comparison to hydralazine and nitroprusside, 774
Comparison of coronary hemodynamic effects of nitroprusside and sublingual nitroglycerin with anterior descending coronary arterial occlusion, 915

Noninvasive testing
Clinical data versus noninvasive testing as an estimate of coronary status, 470
Noninvasive assessment of coronary artery disease, 714

Norepinephrine
Elevated left ventricular myocardial dopamine in preterminal idiopathic dilated cardiomyopathy, 1033

Nuclear magnetic resonance imaging
Nuclear magnetic resonance imaging of acute myocardial infarction in dogs: alterations in magnetic relaxation times, 184

Nuclear medicine
Nuclear magnetic resonance imaging of acute myocardial infarction in dogs: alterations in magnetic relaxation times, 184

Oral contraceptives
Malignant hypertension in women aged 15 to 44 years and its relation to cigarette smoking and oral contraceptives, 297

Osmoreceptor dysfunction
Transient central diabetes insipidus after aortocoronary bypass operations, 1181

Oxprenolol
Basis for cardiovascular therapy with beta-blocking agents, 2D
Clinical responses to oxprenolol in the elderly, 62D
Intrinsic sympathomimetic activity: clinical fact or fiction? 16D
Oxprenolol: clinical pharmacology, pharmacokinetics, and pharmacodynamics, 27D
Oxprenolol in clinical practice, 34D
Oxprenolol in the treatment of hypertension in the elderly, 57D
Pharmacokinetics of oxprenolol in the elderly, 54D
United States experience with oxprenolol in hypertension, 43D

Oxygen
Cardiovascular effects of breathing 95 percent oxygen in children with congenital heart disease, 106
Myocardial oxygen consumption in left ventricular hypertrophy and its relation to left ventricular mechanics, 852

Prediction of maximal cardiac output in preoperative patients with coronary artery disease, 721
Pacemakers
A versatile pacemaker system for termination of tachycardias, 731
Current physiologic pacemakers: a serious problem with a new device, 88
Pacemaker-mediated tachycardias: a rapid bedside technique for induction and observation, 287
Paroxysmal supraventricular tachycardia utilizing concealed bypass tract induced by ventricular pacemaker, 1149
Permanent pacemaker therapy in corrected transposition of the great arteries: analysis of site of lead placement in 40 patients, 1031
Significance of prolonged electrocardiographic pauses in sinoatrial disease: sick sinus syndrome, 485
Pacing
Effects induced on blood platelets in ischemic and nonischemic myocardium, 466
Pacing, atrial
Effects of heart rate on experimentally produced mitral regurgitation in dogs, 1345
Pacing, cardiac
Current physiologic pacemakers: a serious problem with a new device, 88
Pacing, ventricular
Induction of clinical ventricular tachycardia using programmed stimulation: value of third and fourth extrastimuli, 501
Role of a catheter lead system for transvenous countershock and pacing during electrophysiologic tests: an assessment of the usefulness of catheter shocks for terminating ventricular tachyarrhythmias, 477
Papillary muscle
Myocardial infarction complicated by rupture of both ventricular septum and right ventricular papillary muscle, 423
Pediatric cardiology
Cardiovascular effects of breathing 95 percent oxygen in children with congenital heart disease, 106
Catheter evaluation of left ventricular shape and function 1 or more years after anatomic correction of transposition of great arteries, 1079
Computer interpretation of pediatric frank vectorcardiograms in the evaluation of congenital heart disease, 127
Growth and tissue abnormalities in young people with cyanotic congenital heart disease receiving systemic–pulmonary artery shunts, 349
Left ventricular false tendons in children: prevalence as detected by 2-dimensional echocardiography and clinical significance, 1264
Long-term echocardiographic assessment of dilated cardiomyopathy in children, 1066
Noninvasive determination of systolic, diastolic and end-systolic blood pressure in neonates, infants and young children: comparison with central aortic pressure measurements, 867
Noninvasive diagnosis of persistent fetal circulation versus congenital cardiovascular defects, 847
Postmortem digoxin tissue concentration and organ content in infancy and childhood, 330
The Marfan syndrome in early childhood: analysis of 15 patients diagnosed at less than 4 years of age, 353
Transesophageal study of infant supraventricular tachycardia: electrophysiologic characteristics, 1002
Pericardial effusion
Effect of pericardiocentesis on right and left ventricular function and volumes in pericardial effusion, 159
Pericardiocentesis
Application of 2-dimensional contrast studies during pericardiocentesis, 1120
Effect of pericardiocentesis on right and left ventricular function and volumes in pericardial effusion, 159
Pericarditis
Idiopathic restrictive cardiomyopathy: differences of left ventricular relaxation and diastolic wave forms from constrictive pericarditis, 421
Pericardium
Prostacyclin produced by the pericardium and its influence on coronary vascular tone, 28A
Roles of the right ventricular free wall and ventricular septum in right ventricular performance and influence of the parietal pericardium during right ventricular failure in dogs, 196
Persistent fetal circulation
Noninvasive diagnosis of persistent fetal circulation versus congenital cardiovascular defects, 847
Pharmacodynamics
Beta blockers in hypertension, 10D
Effect of cimetidine on the pharmacokinetics and pharmacodynamics of quinidine, 172
Oxprenolol: clinical pharmacology, pharmacokinetics, and pharmacodynamics, 27D
Pharmacokinetics
Beta blockers in hypertension, 10D
Effect of cimetidine on the pharmacokinetics and pharmacodynamics of quinidine, 172
Efficacy, safety, and pharmacokinetics of a concentration-maintaining regimen of intravenous pirmenol, 83
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95
Oxprenolol: clinical pharmacology, pharmacokinetics, and pharmacodynamics, 27D
Pharmacokinetics of oxprenolol in the elderly, 54D
Pharmacology
Discussion—effects of pharmacologic intervention on high-density lipoproteins, 41B
Hemodynamic effects of antiarrhythmic drugs, 14C
Importance of metabolites in antiarrhythmic therapy, 3C
Introduction, 1C
Oxprenolol: clinical pharmacology, pharmacokinetics, and pharmacodynamics, 27D
Plasma level monitoring of antiarrhythmic drugs, 8C
Phenylephrine
Effects of serotonin and histamine on proximal and distal coronary vasculature in dogs: comparison with alpha-adrenergic stimulation, 1333
Phenytoin
Hemodynamic effects of antiarrhythmic drugs, 14C
Phlebotomy
Acute effects of phlebotomy on right ventricular size and performance in polycythemic patients with chronic obstructive pulmonary disease, 163
Phonocardiography
AJC in December 1958, 1355
Aortic valve closure and cardiac vibrations in the genesis of the second heart sound, 152
Left bundle branch block and mechanical events of the cardiac cycle, 755
Physical conditioning
Physical conditioning and left ventricular performance in the elderly: assessment by radionuclide angiocardiography, 359
Pirmenol
Efficacy, safety, and pharmacokinetics of a concentration-maintaining regimen of intravenous pirmenol, 83
Plasma lipids
Plasma lipid and lipoprotein profiles of cigarette smokers from randomly selected families: enhancement of hyperlipidemia and depression of high-density lipoprotein, 675
Plasma potassium
Diuretic-induced hypokalemia in uncomplicated systemic hypertension: effect of plasma potassium correction on cardiac arrhythmias, 1017
Platelets
Effects induced on blood platelets in ischemic and nonischemic myocardium, 466
Natural history of platelet deposition on dacron aortic bifurcation grafts in the first year after implantation, 371
Platelet function abnormalities in response to arachidonic acid in the acute phase of myocardial infarction, 965
Platelet release of beta-thromboglobulin within the coronary circulation during cold pressor stress, 727
Polysplenia syndrome
Left isomerism (polysplenia syndrome) and complete atrioventricular block (LE), 429
Posture
Effects of posture and respiration on body surface electrocardiogram, 595
Prazosin
Long-term ambulatory therapy with prazosin versus placebo for chronic heart failure: relation between clinical response and left ventricular function at rest and during exercise, 782
Pregnancy
Contrast echocardiography to reduce ionizing radiation associated with cardiac catheterization during pregnancy, 213
Coronary artery bypass surgery during pregnancy, 1145
Primate studies
Atherosclerosis—relationship to coronary blood flow, 2A
Failure of pretreatment with propranolol to reduce the zone of myocardial

infarction after 2 hours of coronary occlusion in the primate heart, 615

Probucol
Influence of clofibrate, bile-sequestering agents and probucol on high-density lipoprotein levels, 28B

Procainamide
Changes in ventricular refractoriness after an extrastimulus: effects of prematurity, cycle length and procainamide, 996
Differentiation of septal from free wall accessory pathway location: observations during bundle branch block in reciprocating tachycardia in the presence of type I antiarrhythmic drugs, 751
Effect of procainamide on dispersion of ventricular refractoriness, 279
Hemodynamic effects of antiarrhythmic drugs, 14C
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95
Importance of metabolites in antiarrhythmic therapy, 3C
Value of the ajmaline-procainamide test to predict the effect of long-term oral amiodarone on the anterograde effective refractory period of the accessory pathway in the Wolff-Parkinson-White syndrome, 70

Prognosis
Anatomic and prognostic significance of new T-wave inversion in unstable angina, 14
An improving prognosis over time in medically treated patients with coronary artery disease, 444
Coronary and left ventricular angiographic anatomy and prognosis of survivors of first acute myocardial infarction, 257
Electrocardiographic and clinical criteria for recognition of acute myocardial infarction based on analysis of 3,697 patients, 936
Localization of lesions in the coronary circulation, 921
Long-term prognosis after first Q-wave (transmural) or non–Q-wave (nontransmural) myocardial infarction: analysis of 593 patients, 234
Natural history of patients with single-vessel disease suitable for percutaneous transluminal coronary angioplasty, 225
Periods of differing mortality distribution during the first year after acute myocardial infarction, 240
Prognosis after an initial non–Q-wave myocardial infarction related to coronary arterial anatomy, 462
Prognosis after myocardial infarction, 667
Prognostic value of resting and submaximal exercise radionuclide ventriculography after acute myocardial infarction in high-risk patients with single and multivessel disease, 30
Prognostic value of submaximal exercise radionuclide ventriculography after myocardial infarction, 82A

Propafenone
Clinical efficacy and electrophysiology of oral propafenone for ventricular tachycardia, 1208

Propranolol
Basis for cardiovascular therapy with beta-blocking agents, 2D
Comparison of high-dose and medium-dose propranolol in the relief of exercise-induced myocardial ischemia, 7
Comparison of the antiarrhythmic effects of acebutolol and propranolol in the treatment of ventricular arrhythmias, 992
Detrimental effect of propranolol in patients with coronary arterial spasm countered by combination with diltiazem, 230
Effects of diltiazem on cardiovascular responses during exercise in systemic hypertension and comparison with propranolol, 1023
Electrocardiographic and clinical criteria for recognition of acute myocardial infarction based on analysis of 3,697 patients, 936
Failure of pretreatment with propranolol to reduce the zone of myocardial infarction after 2 hours of coronary occlusion in the primate heart, 615
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95
Protection of turkeys against furazolidone-induced cardiomyopathy, 626
United States experience with oxprenolol in hypertension, 43D

Prostacyclin
Hemodynamic effects of intravenous prostacyclin in stable angina pectoris, 439
Prostacyclin produced by the pericardium and its influence on coronary vascular tone, 28A
Prostanoids and cardiac reflexes of sympathetic and vagal origin, 36A
Prostanoids in platelet-vascular interactions, 22A

Prostaglandins
Demonstration of prostaglandin E_2 and $F_{2\alpha}$ in atrial tissue of patients with heart disease, 424
Prostanoids and cardiac reflexes of sympathetic and vagal origin, 36A

Prostanoids
Prostanoids and cardiac reflexes of sympathetic and vagal origin, 36A
Prostanoids in platelet-vascular interactions, 22A

Pulmonary arteries
Fatal pulmonary artery banding in truncus arteriosus with anomalous origin of circumflex coronary artery from right pulmonary artery, 1363
Growth and tissue abnormalities in young people with cyanotic congenital heart disease receiving systemic–pulmonary artery shunts, 349
Pulmonary vascular development: normal values of peripheral vascular structure, 578

Pulmonary atresia
Pulmonary atresia with ventricular septal defect and aortic regurgitation: diagnosis by echocardiography with diastolic vibration of both right and left sides of the ventricular septum, 419

Pulmonary disease
Acute effects of phlebotomy on right ventricular size and performance in polycythemic patients with chronic obstructive pulmonary disease, 163

Pulmonary edema
Acute pulmonary edema induced by left bundle branch block, 648

Pulsus alternans
Mechanics of pulsus alternans in aortic valve stenosis, 809
Pulsus alternans after valve replacement for aortic regurgitation, 211

Purkinje fibers
Mechanisms of ventricular arrhythmias: a theoretical model derived from the concepts of "electrotonic interaction" and "longitudinal dissociation", 1350

QRS axis
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95
Left bundle branch block with left-axis deviation: an electrophysiologic approach, 1013

QRS complex
Evaluation of serial QRS changes during acute inferior myocardial infarction using a QRS scoring system, 252
Left bundle branch block and mechanical events of the cardiac cycle, 755
Relation between QRS changes and left ventricular function after coronary artery bypass grafting, 943

QRS scoring system
Evaluation of a QRS scoring system in acute myocardial infarction: relation to infarct size, early stage left ventricular ejection fraction, and exercise performance, 37
Evaluation of serial QRS changes during acute inferior myocardial infarction using a QRS scoring system, 252

QT interval
Effect of procainamide on dispersion of ventricular refractoriness, 279
Prolongation of the Q-T interval in man during sleep, 55
Sudden marked QT prolongation after intravenous administration of amiodarone, 1361

QT > QS_2 syndrome
QT > QS_2 syndrome as a mortality risk factor in coronary heart disease (LE), 1152

Quinidine
Differentiation of septal from free wall accessory pathway location: observations during bundle branch block in reciprocating tachycardia in the presence of type I antiarrhythmic drugs, 751
Effect of cimetidine on the pharmacokinetics and pharmacodynamics of quinidine, 172
Effect of quinidine on differing sensitivities of Purkinje fibers and myocardium to inhibition of monovalent cation transport by digitalis in dogs, 1123
Hemodynamic effects of antiarrhythmic drugs, 14C
Importance of metabolites in antiarrhythmic therapy, 3C

Q wave
Long-term prognosis after first Q-wave (transmural) or non–Q-wave (nontransmural) myocardial infarction: analysis of 593 patients, 234

Prognosis after an initial non–Q-wave myocardial infarction related to coronary arterial anatomy, 462
Radiation
Contrast echocardiography to reduce ionizing radiation associated with cardiac catheterization during pregnancy, 213
Radiographic techniques
A simple method to interpret cardiac and aortic anatomy from chest radiographs, 644
Radionuclide imaging
Assessment of regional left ventricular function by sector analysis: a method for objective evaluation of radionuclide blood pool studies, 1112
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 584
Causes of cine image quality deterioration in cardiac catheterization laboratories, 881
Exercise testing in aortic regurgitation: comparison of radionuclide left ventricular ejection fraction with exercise performance at the anaerobic threshold and peak exercise, 801
Left ventricular function at rest and during exercise in congenital complete heart block: a radionuclide angiographic evaluation, 92
Prognostic value of submaximal exercise radionuclide ventriculography after myocardial infarction, 82A
Rat studies
Early degradation of collagen after acute myocardial infarction in the rat, 390
Renin
Age and prior caffeine use after the cardiovascular and adrenomedullary responses to oral caffeine, 769
Reperfusion
Coronary reperfusion and Bezold-Jarisch reflex (bradycardia and hypotension), 221
Effect of interventions in salvaging left ventricular function in acute myocardial infarction: a study of intracoronary streptokinase, 431
Retraction of a published abstract (LE), 220
Respiration
Effects of posture and respiration on body surface electrocardiogram, 595
Respiratory effects
Intrinsic sympathomimetic activity: clinical fact or fiction? 16D
Resuscitation, pulmonary
Determinants of defibrillation: prospective analysis of 183 patients, 739
Right ventricular stimulation
Relation of mode of induction and cycle length of ventricular tachycardia: analysis of 104 patients, 60
Risk factors
Early recognition of the patient at late high risk: incomplete infarction and vulnerable myocardium, 669
Identifying patients at risk of sudden death after myocardial infarction: value of the response to programmed stimulation, degree of ventricular ectopic activity and severity of left ventricular dysfunction, 1190
Plasma lipid and lipoprotein profiles of cigarette smokers from randomly selected families: enhancement of hyperlipidemia and depression of high-density lipoprotein, 675
Prognosis after myocardial infarction, 667
QT > QS_2 syndrome as a mortality risk factor in coronary heart disease (LE), 1152
Stepwise risk stratification soon after acute myocardial infarction, 1161
Uncomplicated acute myocardial infarction: long-term management, 658
Running
Twenty-four-hour continuous electrocardiography during exercise and free activity in 80 apparently healthy runners, 859
R wave
Electrocardiographic criteria for the diagnosis of anterior myocardial infarction: importance of the duration of precordial R waves, 690
R-wave amplitude changes during exercise in adolescents with left ventricular pressure and volume overload, 841
Scintigraphy
Abnormal thallium-201 scans in patients with chest pain and angiographically normal coronary arteries, 365
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 584
Frequency of myocardial injury after blunt chest trauma as evaluated by radionuclide angiography, 1099
Validation of technetium-99m stannous pyrophosphate myocardial scintigraphy for diagnosing acute myocardial infarction more than 48 hours old when serum creatine kinase-MB has returned to normal, 245
Second heart sound
Aortic valve closure and cardiac vibrations in the genesis of the second heart sound, 152
Senning operation
Two-dimensional echocardiographic assessment of caval and pulmonary venous pathways after the Senning operation, 118
Septal hypertrophy
Number and size of myocytes and amount of interstitial space in the ventricular septum and in the left ventricular free wall in hypertrophic cardiomyopathy, 818
Septal wall
Differentiation of septal from free wall accessory pathway location: observations during bundle branch block in reciprocating tachycardia in the presence of type I antiarrhythmic drugs, 751
Serotonin
Effects of serotonin and histamine on proximal and distal coronary vasculature in dogs: comparison with alpha-adrenergic stimulation, 1333
Sheep studies
Formation of cartilage in bioprosthetic cardiac valves implanted in sheep: a morphologic study, 632
Shunts
Diagnosis of left ventricular to right atrial shunt utilizing contrast echocardiography, 650
Sickle-cell anemia
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 584
Sick sinus syndrome
Relation between the widening of the fragmented atrial activity zone and atrial fibrillation, 1219
Significance of prolonged electrocardiographic pauses in sinoatrial disease: sick sinus syndrome, 485
Sinoatrial disease
Significance of prolonged electrocardiographic pauses in sinoatrial disease: sick sinus syndrome, 485
Sinus node
Dose-dependent electrophysiologic effects of amiodarone in the immature canine heart, 621
Sleep apnea syndrome
Cardiac arrhythmia and conduction disturbances during sleep in 400 patients with sleep apnea syndrome, 490
Smoking
Malignant hypertension in women aged 15 to 44 years and its relation to cigarette smoking and oral contraceptives, 297
Starr-Edwards mitral prosthesis
Left ventricular outflow obstruction caused by a Starr-Edwards mitral prosthesis, 652
Stenosis
Effects of coronary occlusion on flow in the distribution of a neighboring stenotic coronary artery in the dog, 189
Multiple versus single coronary arterial stenosis: hemodynamic differences (LE), 656
Prediction of maximal cardiac output in preoperative patients with coronary artery disease, 721
Ventricular septal defect and subaortic stenosis: an analysis of 41 patients, 1258
Stenosis, pulmonary
Percutaneous balloon pulmonary valvuloplasty, 560
Stenosis, subaortic
Fixed subaortic stenosis in the young: medical and surgical course in 83 patients, 830
Masked subaortic stenosis in ostium primum atrial septal defect: recognition and treatment, 336
Streptokinase
Delayed thrombolysis of streptokinase-resistant occlusive thrombus: documentation by pre- and postmortem coronary angiography, 210
Effect of interventions in salvaging left ventricular function in acute myocardial infarction: a study of intracoronary streptokinase, 431
ST segment
Comparison of supine and erect bicycle exercise electrocardiography in coronary heart disease: accentuation of exercise-induced ischemic ST depression by supine posture, 1167
Directional ST-segment deviation in graded exercise tests correlated with motion of the individual segments of the left ventricular wall, 449
Regression of ST depressions despite ongoing ischemia, 1144
Ventricular tachyarrhythmias in Prinzmetal's variant angina: clinical

significance and relation to the degree and time course of S-T segment elevation, 19

Subepicardial adipose tissue
Diagnosis of subepicardial adipose tissue by older and newer techniques (LE), 1153

Surgery
Altered baroreceptor function in children with systolic hypertension after coarctation repair, 112
Bypass grafting in total occlusion of the left main coronary artery (LE), 429
Cardiac rhythm and conduction before and after anatomic correction of transposition of the great arteries, 836
Catheter evaluation of left ventricular shape and function 1 or more years after anatomic correction of transposition of great arteries, 1079
Changing results and concepts in the surgical treatment of double-outlet right ventricle: analysis of 137 operations in 126 patients, 549
Coronary artery bypass surgery during pregnancy, 1145
Coronary artery surgery in Australia: report from the Committee of the National Heart Foundation Coronary Artery Surgery Register, 96A
Current status of mitral commissurotomy: indications, techniques, and results, 411
Employment and recreation patterns in patients treated by percutaneous transluminal coronary angioplasty: a multicenter study, 710
False aneurysm of ascending aorta after aortocoronary bypass grafting, 907
Fatal pulmonary artery banding in truncus arteriosus with anomalous origin of circumflex coronary artery from right pulmonary artery, 1363
Fixed subaortic stenosis in the young: medical and surgical course in 83 patients, 830
Glucose and insulin changes in infants and children undergoing hypothermic open-heart surgery, 133
Growth and tissue abnormalities in young people with cyanotic congenital heart disease receiving systemic–pulmonary artery shunts, 349
Influence of volume loading on intraoperative hemodynamics and perioperative fluid retention in patients with valvular regurgitation undergoing prosthetic replacement, 530
Left isomerism (polysplenia syndrome) and complete atrioventricular block (LE), 429
Mitral valve prolapse syndrome: analysis of 62 patients aged 60 years and older, 534
Operative removal of mobile pedunculated left ventricular thrombus detected by 2-dimensional echocardiography, 1148
Prediction of maximal cardiac output in preoperative patients with coronary artery disease, 721
Progression of coronary artery disease in randomized medical and surgical patients over a 5-year angiographic follow-up, 661
Ratio of regurgitant volume to end-diastolic volume: a major determinant of ventricular response to surgical correction of chronic volume overload, 406
Relation between QRS changes and left ventricular function after coronary artery bypass grafting, 943
Selective coronary angiography by translumbar aortic puncture, 425
Surgical anatomy of double-outlet right ventricle—a reappraisal, 555
The AJC in September 1958, 641
Transient central diabetes insipidus after aortocoronary bypass operations, 1181
Two-dimensional echocardiographic assessment of caval and pulmonary venous pathways after the Senning operation, 118
Two-dimensional echocardiographic assessment of surgically closed ventricular septal defect, 325
Value of isometric exercise testing during cardiac catheterization in mitral stenosis, 540

Swan-Ganz catheters
Local complications associated with indwelling Swan-Ganz catheters: autopsy study of 36 cases, 1108

Sympathetic nervous system
Central and regional hemodynamic effects and neurohumoral consequences of minoxidil in severe congestive heart failure and comparison to hydralazine and nitroprusside, 774

Sympathomimetic effects
Basis for cardiovascular therapy with beta-blocking agents, 2D
Beta blockers in hypertension, 10D

Symposium on High-Density Lipoproteins and Coronary Artery Disease: Effects of Diet, Exercise, and Pharmacologic Intervention
Clinical results with gemfibrozil, 39B
Clinical results with gemfibrozil and background to the Helsinki Heart Study, 35B
Discussion—effects of pharmacologic intervention on high-density lipoproteins, 41B
Discussion—high-density lipoproteins: epidemiology and physiologic influences, 20B
High-density lipoproteins: biochemical and metabolic factors, 2B
High-density lipoproteins: epidemiologic profile and risks of coronary artery disease, 9B
Influence of bezafibrate, fenofibrate, nicotinic acid and etofibrate on plasma high-density lipoprotein levels, 21B
Influence of clofibrate, bile-sequestering agents and probucol on high-density lipoprotein levels, 28B
Influence of diet on high-density lipoproteins, 17B
Influence of exercise on high-density lipoproteins, 13B
Influence of gemfibrozil on high-density lipoproteins, 31B
Opening remarks, 1B
Relation of high-density lipoproteins to coronary artery disease, 5B

Symposium on Perspectives on the Treatment of Ventricular Arrhythmias
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C
Definition of benign versus malignant ventricular arrhythmias: targets for treatment, 47C
Effect of antiarrhythmic drugs on mortality after myocardial infarction, 32C
Hemodynamic effects of antiarrhythmic drugs, 14C
Importance of metabolites in antiarrhythmic therapy, 3C
Introduction, 1C
Methods for documenting antiarrhythmic efficacy, 37C
Plasma level monitoring of antiarrhythmic drugs, 8C
Role of electrophysiologic techniques in the selection of antiarrhythmic drug regimens for ventricular arrhythmias, 41C
Treatment and prophylaxis of ventricular arrhythmias in acute myocardial infarction, 55C

Symposium on the Patient Postinfarction: New Knowledge and New Therapeutic Strategies
Chronic beta blockade therapy in patients after myocardial infarction, 661
Early recognition of the patient at late high risk: incomplete infarction and vulnerable myocardium, 669
Exercise stress testing in the post-myocardial infarction patient, 664
Introduction, 657
Prognosis after myocardial infarction, 667
Uncomplicated acute myocardial infarction: long-term management, 658

Symposium on the Physiology and Pathology of the Coronary Circulation and Coronary Heart Disease
Alpha-adrenergic regulation of the coronary circulation in the conscious dog, 15A
Atherosclerosis—relationship to coronary blood flow, 2A
Beta-adrenoceptor–blocking drugs: current status and the significance of partial agonist activity, 104A
Beta blockers in ischemic heart disease, 108A
Calcium-entry blockers and cardiovascular disease, 99A
Clinical studies of patients with coronary spasm, 67A
Coronary artery surgery in Australia: report from the Committee of the National Heart Foundation Coronary Artery Surgery Register, 96A
Intracoronary thrombolysis in acute myocardial infarction, 92A
Local factors controlling coronary circulation, 8A
Pathobiology of acute myocardial ischemia: metabolic, functional and ultrastructural studies, 72A
Preface, 1A
Prognostic value of submaximal exercise radionuclide ventriculography after myocardial infarction, 82A
Prostacyclin produced by the pericardium and its influence on coronary vascular tone, 28A
Prostanoids and cardiac reflexes of sympathetic and vagal origin, 36A
Prostanoids in platelet-vascular interactions, 22A
Responses of dog large coronary arteries to constrictor and dilator substances: implications for the cause and treatment of variant angina pectoris, 52A
The effect of high-dose intravenous nitroglycerin on cardiovascular hemodynamic features and left ventricular function at rest and during exercise in patients with exertional angina, 113A
The isolated human epicardial coronary artery, 61A
Variable susceptibility to dynamic coronary obstruction: an elusive link between coronary atherosclerosis and angina pectoris, 46A

Symposium on the Role of Oxprenolol (Trasicor®) in Systemic Hypertension
Basis for cardiovascular therapy with beta-blocking agents, 2D
Beta blockers in hypertension, 10D
Clinical responses to oxprenolol in the elderly, 62D
Intrinsic sympathomimetic activity: clinical fact or fiction? 16D
Introduction, 1D
Oxprenolol: clinical pharmacology, pharmacokinetics, and pharmacodynamics, 27D
Oxprenolol in clinical practice, 34D
Oxprenolol in the treatment of hypertension in the elderly, 57D
Pathophysiologic considerations in the treatment of the elderly hypertensive patient, 49D
Pharmacokinetics of oxprenolol in the elderly, 54D
United States experience with oxprenolol in hypertension, 43D
Syncope
Significance of prolonged electrocardiographic pauses in sinoatrial disease: sick sinus syndrome, 485
Syncope and ventricular tachycardia in patients with ventricular preexcitation, 79
Systole
Basic requirements for investigating systolic time intervals (LE), 656
Noninvasive determination of systolic, diastolic and end-systolic blood pressure in neonates, infants and young children: comparison with central aortic pressure measurements, 867
Systolic dimension
Effects of enhanced afterload (methoxamine) and contractile state (dobutamine) on the left ventricular late-systolic wall stress–dimension relation, 1304
Systolic time intervals
Left ventricular function at high altitude examined by systolic time intervals and M-mode echocardiography, 862
Systolic wall stress–dimension relation
Effects of enhanced afterload (methoxamine) and contractile state (dobutamine) on the left ventricular late-systolic wall stress–dimension relation, 1304
Systolic wall thickening
Relations between 2-dimensional echocardiographic wall thickening abnormalities, myocardial infarct size and coronary risk area in normal and hypertrophied myocardium in dogs, 1318
Tachycardia
Abnormal cardiovascular regulation in the mitral valve prolapse syndrome, 316
Current physiologic pacemakers: a serious problem with a new device, 88
Effectiveness and safety of oral verapamil to control exercise-induced tachycardia in patients with atrial fibrillation receiving digitalis, 1197
Effects of oral diltiazem in paroxysmal supraventricular tachycardia, 271
Nature of inducible ventricular tachyarrhythmias in a canine chronic myocardial infarction model, 1127
Pacemaker-mediated tachycardias: a rapid bedside technique for induction and observation, 287
Paroxysmal supraventricular tachycardia utilizing concealed bypass tract induced by ventricular pacemaker, 1149
Relation of mode of induction and cycle length of ventricular tachycardia: analysis of 104 patients, 60
Transesophageal study of infant supraventricular tachycardia: electrophysiologic characteristics, 1002
Tachycardia, paroxysmal
Life-table methods for evaluating antiarrhythmic drug efficacy in patients with paroxysmal atrial tachycardia, 1007
Taussig-Bing heart
Changing results and concepts in the surgical treatment of double-outlet right ventricle: analysis of 137 operations in 126 patients, 549
Surgical anatomy of double-outlet right ventricle—a reappraisal, 555
Technetium-99m
Fatty acylcarnitine accumulation and membrane injury in ischemic canine myocardium, 893
Validation of technetium-99m stannous pyrophosphate myocardial scintigraphy for diagnosing acute myocardial infarction more than 48 hours old when serum creatine kinase-MB has returned to normal, 245
Thallium-201
Abnormal thallium-201 scans in patients with chest pain and angiographically normal coronary arteries, 365
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 584
Theophylline
Electrophysiologic effects of theophylline in young patients with recurrent symptomatic bradyarrhythmias, 1223
Thrombocytosis
Thrombocytosis and fatal coronary heart disease, 651
Thromboembolism
Cardiac thrombosis and thromboembolism in chronic Chagas' heart disease, 147
Thrombolysis
Coronary reperfusion and Bezold-Jarisch reflex (bradycardia and hypotension), 221
Delayed thrombolysis of streptokinase-resistant occlusive thrombus: documentation by pre- and postmortem coronary angiography, 210
Effects of laser irradiation on human thrombus: demonstration of a linear dissolution-dose relation between clot length and energy density, 876
Intracoronary thrombolysis in acute myocardial infarction, 92A
Thrombosis
Cardiac thrombosis and thromboembolism in chronic Chagas' heart disease, 147
Local complications associated with indwelling Swan-Ganz catheters: autopsy study of 36 cases, 1108
Thrombus
Delayed thrombolysis of streptokinase-resistant occlusive thrombus: documentation by pre- and postmortem coronary angiography, 210
Effects of laser irradiation on human thrombus: demonstration of a linear dissolution-dose relation between clot length and energy density, 876
Frequency and embolic potential of left ventricular thrombus in dilated cardiomyopathy: assessment by 2-dimensional echocardiography, 1281
Intracoronary thrombus in nontransmural myocardial infarction and in unstable angina pectoris, 1
Operative removal of mobile pedunculated left ventricular thrombus detected by 2-dimensional echocardiography, 1148
Right ventricular thrombus formation in association with acute myocardial infarction: diagnosis by 2-dimensional echocardiography, 912
Timolol
Beta blockers in ischemic heart disease, 108A
T-lymphocytes
Mechanism of calcification of porcine bioprosthetic aortic valve cusps: role of T-lymphocytes, 629
Tobacco
Relation between coffee drinking and blood pressure: analysis of 6,321 subjects in the Paris region, 1238
Tocainide
Clinical profiles of newer class I antiarrhythmic agents—tocainide, mexiletine, encainide, flecainide and lorcainide, 24C
Torsades de pointes
Effect of procainamide on dispersion of ventricular refractoriness, 279
Hypomagnesemic torsades de pointes, 1367
Torsades de pointes versus polymorphous ventricular tachycardia, 639
Translumbar aortic puncture
Selective coronary angiography by translumbar aortic puncture, 425
Transposition of the great arteries
Cardiac rhythm and conduction before and after anatomic correction of transposition of the great arteries, 836
Catheter evaluation of left ventricular shape and function 1 or more years after anatomic correction of transposition of great arteries, 1079
Permanent pacemaker therapy in corrected transposition of the great arteries: analysis of site of lead placement in 40 patients, 1091
Transstenotic gradients
Determinants of transstenotic gradients observed during angioplasty: an experimental model, 1311
Trauma
Frequency of myocardial injury after blunt chest trauma as evaluated by radionuclide angiography, 1099
Tricuspid regurgitation
Analysis of the amount of tricuspid valve anular dilatation required to produce functional tricuspid regurgitation, 155
Diagnosing tricuspid regurgitation by direct imaging of the regurgitant flow in the right atrium using contrast echocardiography, 1050
Two-dimensional echocardiographic determination of right atrial emptying volume: a noninvasive index in quantifying the degree of tricuspid regurgitation, 525
Tricuspid valve
Analysis of the amount of tricuspid valve anular dilatation required to produce functional tricuspid regurgitation, 155

Echocardiographic evaluation of normal and prolapsed tricuspid valve leaflets, 796
Mechanisms of closure of perimembranous ventricular septal defect, 341
Truncus arteriosus
Fatal pulmonary artery banding in truncus arteriosus with anomalous origin of circumflex coronary artery from right pulmonary artery, 1363
Turkeys
Protection of turkeys against furazolidone-induced cardiomyopathy, 626
T waves
Anatomic and prognostic significance of new T-wave inversion in unstable angina, 14
Two-dimensional echocardiography
Accuracy of evaluation of the presence and severity of aortic and mitral regurgitation by contrast 2-dimensional echocardiography, 519
Application of 2-dimensional contrast studies during pericardiocentesis, 1120
Assessment of quantitative methods for 2-dimensional echocardiography, 396
Automatic computer processing of digital 2-dimensional echocardiograms, 384
Determination of atrial size by esophageal echocardiography, 878
2-dimensional echocardiographic appearance of complete left-sided juxtaposition of the atrial appendages, 346
Echocardiographic evaluation of normal and prolapsed tricuspid valve leaflets, 796
Frequency and embolic potential of left ventricular thrombus in dilated cardiomyopathy: assessment by 2-dimensional echocardiography, 1281
Left ventricular false tendons in children: prevalence as detected by 2-dimensional echocardiography and clinical significance, 1264
Natural history of the flail mitral leaflet syndrome: a serial 2-dimensional echocardiographic study, 789
Noninvasive diagnosis of persistent fetal circulation versus congenital cardiovascular defects, 847
Noninvasive quantification of jeopardized myocardial mass in dogs using 2-dimensional echocardiography and thallium-201 tomography, 1340
Operative removal of mobile pedunculated left ventricular thrombus detected by 2-dimensional echocardiography, 1148
Quantitative computer-assisted analysis of left ventricular wall thickening and motion by 2-dimensional echocardiography in acute myocardial infarction, 960
Radionuclide diagnosis of left atrial myxoma with computer-generated functional images, 1365
Real-time 2-dimensional echocardiographic imaging of right-sided cardiac vegetations in ventricular septal defect, 420
Relation between functional response to nitroglycerin and extent of myocardial necrosis in dogs: mapping of the left ventricle by 2-dimensional echocardiography, 177
Relations between 2-dimensional echocardiographic wall thickening abnormalities, myocardial infarct size and coronary risk area in normal and hypertrophied myocardium in dogs, 1318
Right ventricular thrombus formation in association with acute myocardial infarction: diagnosis by 2-dimensional echocardiography, 912
Subcostal 2-dimensional echocardiographic imaging of peripheral left coronary artery aneurysms in Kawasaki disease, 48
Two-dimensional echocardiographic assessment of caval and pulmonary venous pathways after the Senning operation, 118
Two-dimensional echocardiographic assessment of left atrial size in children, 1249
Two-dimensional echocardiographic assessment of surgically closed ventricular septal defect, 325
Two-dimensional echocardiographic determination of right atrial emptying volume: a noninvasive index in quantifying the degree of tricuspid regurgitation, 525
Two-dimensional echocardiographic evaluation of dilated cardiomyopathy in children, 1244
Two-dimensional echocardiographic features of multiple right atrial myxomas, 1364
Two-dimensional echocardiographic identification of aortico–left ventricular tunnel, 913
Two-dimensional echocardiographic study of a cardiac hydatid cyst, 1361
Univentricular heart
Double-inlet left ventricle with rudimentary right ventricle and ventriculoarterial concordance, 573
Valve disease
Accuracy of evaluation of the presence and severity of aortic and mitral regurgitation by contrast 2-dimensional echocardiography, 519
Echocardiographic evaluation of porcine bioprosthetic valves: experience with 309 normal and 59 dysfunctioning valves, 309
Influence of volume loading on intraoperative hemodynamics and perioperative fluid retention in patients with valvular regurgitation undergoing prosthetic replacement, 530
Progression of isolated aortic stenosis: analysis of 29 patients having more than 1 cardiac catheterization, 1054
Pulsus alternans after valve replacement for aortic regurgitation, 211
Severe mitral regurgitation immediately after mitral valve replacement with a parietal pericardial bovine bioprosthesis, 218
Value of isometric exercise testing during cardiac catheterization in mitral stenosis, 540
Valve prostheses
Echocardiographic evaluation of porcine bioprosthetic valves: experience with 309 normal and 59 dysfunctioning valves, 309
Formation of cartilage in bioprosthetic cardiac valves implanted in sheep: a morphologic study, 632
Left ventricular outflow obstruction caused by a Starr-Edwards mitral prosthesis, 652
Mechanism of calcification of porcine bioprosthetic aortic valve cusps: role of T-lymphocytes, 629
Ratio of regurgitant volume to end-diastolic volume: a major determinant of ventricular response to surgical correction of chronic volume overload, 406
Wear of the metallic studs on the composite seat of the 2320 Starr-Edwards aortic valve and its clinical consequences, 1062
Valvular regurgitation
Influence of volume loading on intraoperative hemodynamics and perioperative fluid retention in patients with valvular regurgitation undergoing prosthetic replacement, 530
Vasoactive hormones
Circulatory autoregulation in chronic congestive heart failure: responses to head-up tilt in 41 patients, 512
Vasoconstrictors
Responses of dog large coronary arteries to constrictor and dilator substances: implications for the cause and treatment of variant angina pectoris, 52A
Vasodilators
Acute hemodynamic effect of oral nifedipine in severe chronic congestive heart failure, 1041
Determinants of circulatory response to intravenous hydralazine in congestive heart failure, 299
Long-term ambulatory therapy with prazosin versus placebo for chronic heart failure: relation between clinical response and left ventricular function at rest and during exercise, 782
Responses of dog large coronary arteries to constrictor and dilator substances: implications for the cause and treatment of variant angina pectoris, 52A
Vectorcardiography
Computer interpretation of pediatric frank vectorcardiograms in the evaluation of congenital heart disease, 127
Venous pressure
Validity of the hepatojugular reflux as a clinical test for congestive heart failure, 1299
Ventricle, left
An ambulatory ventricular function monitor: validation and preliminary clinical results, 601
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568
Assessment of regional left ventricular function by sector analysis: a method for objective evaluation of radionuclide blood pool studies, 1112
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 584
Catheter evaluation of left ventricular shape and function 1 or more years after anatomic correction of transposition of great arteries, 1079
Coronary and left ventricular angiographic anatomy and prognosis of survivors of first acute myocardial infarction, 257

Coxsackie viral myocarditis causing transmural right and left ventricular infarction without coronary narrowing, 644
Directional ST-segment deviation in graded exercise tests correlated with motion of the individual segments of the left ventricular wall, 449
Double-inlet left ventricle with rudimentary right ventricle and ventriculoarterial concordance, 573
Effect of pericardiocentesis on right and left ventricular function and volumes in pericardial effusion, 159
Effects of enhanced afterload (methoxamine) and contractile state (dobutamine) on the left ventricular late-systolic wall stress–dimension relation, 1304
Effects of negative pleural pressure on left ventricular hemodynamics, 588
Exercise testing in aortic regurgitation: comparison of radionuclide left ventricular ejection fraction with exercise performance at the anaerobic threshold and peak exercise, 801
Hemodynamic comparison of primary venous or arteriolar dilatation and the subsequent effect of furosemide in left ventricular failure after acute myocardial infarction, 1036
Hemodynamic responses to ergometer exercise in children and young adults with left ventricular pressure or volume overload, 563
Influence of verapamil therapy on left ventricular performance at rest and during exercise in hypertrophic cardiomyopathy, 544
Left atrial abnormality as an electrocardiographic criterion for the diagnosis of left ventricular hypertrophy in the presence of right bundle branch block, 381
Left ventricular diastolic properties and filling characteristics during spontaneous angina pectoris at rest, 704
Left ventricular false tendons in children: prevalence as detected by 2-dimensional echocardiography and clinical significance, 1264
Left ventricular outflow obstruction caused by a Starr-Edwards mitral prosthesis, 652
Left ventricular performance during exercise: response of ear densitogram derivative, 167
Measurement of left ventricular ejection fraction by videodensitometric analysis of digital subtraction angiograms, 871
Operative removal of mobile pedunculated left ventricular thrombus detected by 2-dimensional echocardiography, 1148
Quantitative computer-assisted analysis of left ventricular wall thickening and motion by 2-dimensional echocardiography in acute myocardial infarction, 960
Relation between functional response to nitroglycerin and extent of myocardial necrosis in dogs: mapping of the left ventricle by 2-dimensional echocardiography, 177
Relation between QRS changes and left ventricular function after coronary artery bypass grafting, 943
Response of patients after myocardial infarction to carrying a graded series of weight loads, 698
Subtle left ventricular asynergy with completely obstructed coronary arteries, 693
Two-dimensional echocardiographic identification of aortico–left ventricular tunnel, 913

Ventricle, right
Acute effects of phlebotomy on right ventricular size and performance in polycythemic patients with chronic obstructive pulmonary disease, 163
Arrhythmogenic right ventricular dysplasia associated with atrioventricular conduction disturbance, 909
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 554
Cardiac involvement by Gaucher's disease documented by right ventricular endomyocardial biopsy, 654
Changing results and concepts in the surgical treatment of double-outlet right ventricle: analysis of 137 operations in 126 patients, 549
Coxsackie viral myocarditis causing transmural right and left ventricular infarction without coronary narrowing, 644
Double-inlet left ventricle with rudimentary right ventricle and ventriculoarterial concordance, 573
Effect of pericardiocentesis on right and left ventricular function and volumes in pericardial effusion, 159
Right ventricular thrombus formation in association with acute myocardial infarction: diagnosis by 2-dimensional echocardiography, 912
Roles of the right ventricular free wall and ventricular septum in right ventricular performance and influence of the parietal pericardium during right ventricular failure in dogs, 196
Surgical anatomy of double-outlet right ventricle—a reappraisal, 555

Ventricle, single
Prolonged survival (62 years) with single ventricle, 214

Ventricular arrhythmias
Clinical characteristics and long-term follow-up in 119 survivors of cardiac arrest: relation to inducibility at electrophysiologic testing, 969
Comparison of the antiarrhythmic effects of acebutolol and propranolol in the treatment of ventricular arrhythmias, 992
Efficacy, safety, and pharmacokinetics of a concentration-maintaining regimen of intravenous pirmenol, 83
Encainide for refractory ventricular tachyarrhythmia, 495
Evaluation of metoprolol in suppressing complex ventricular arrhythmias, 73
Hemodynamic effects of encainide in patients with ventricular arrhythmia and poor ventricular function, 507
Mechanisms of ventricular arrhythmias: a theoretical model derived from the concepts of "electrotonic interaction" and "longitudinal dissociation", 1350
Multiform accelerated idioventricular rhythm in acute myocardial infarction: electrocardiographic characteristics and response to verapamil, 43
Role of a catheter lead system for transvenous countershock and pacing during electrophysiologic tests: an assessment of the usefulness of catheter shocks for terminating ventricular tachyarrhythmias, 477
Ventricular tachyarrhythmias in Prinzmetal's variant angina: clinical significance and relation to the degree and time course of S-T segment elevation, 19

Ventricular asynergy
Subtle left ventricular asynergy with completely obstructed coronary arteries, 693

Ventricular contractile pattern
Evaluation of left ventricular contractile pattern by intravenous digital subtraction ventriculography: comparison with cineangiography and assessment of interobserver variability, 1293

Ventricular fibrillation
Determinants of defibrillation: prospective analysis of 183 patients, 739
Long-term efficacy and toxicity of high-dose amiodarone therapy for ventricular tachycardia or ventricular fibrillation, 975
Role of a catheter lead system for transvenous countershock and pacing during electrophysiologic tests: an assessment of the usefulness of catheter shocks for terminating ventricular tachyarrhythmias, 477
The automatic implantable defibrillator: local ventricular bipolar sensing to detect ventricular tachycardia and fibrillation, 265

Ventricular function
An ambulatory ventricular function monitor: validation and preliminary clinical results, 601
Aortic valve replacement in childhood: evaluation of left ventricular function by electrocardiography, echocardiography and graded exercise testing, 568
Assessment of regional left ventricular function by sector analysis: a method for objective evaluation of radionuclide blood pool studies, 1112
Biventricular function in sickle-cell anemia: radionuclide angiographic and thallium-201 scintigraphic evaluation, 554
Catheter evaluation of left ventricular shape and function 1 or more years after anatomic correction of transposition of great arteries, 1079
Effect of interventions in salvaging left ventricular function in acute myocardial infarction: a study of intracoronary streptokinase, 431
Effect of pericardiocentesis on right and left ventricular function and volumes in pericardial effusion, 159
Effects of negative pleural pressure on left ventricular hemodynamics, 588
Hemodynamic effects of encainide in patients with ventricular arrhythmia and poor ventricular function, 507
Hemodynamic responses to ergometer exercise in children and young adults with left ventricular pressure or volume overload, 563
Identifying patients at risk of sudden death after myocardial infarction: value of the response to programmed stimulation, degree of ventricular ectopic activity and severity of left ventricular dysfunction, 1190
Left bundle branch block and mechanical events of the cardiac cycle, 755

Left ventricular function at high altitude examined by systolic time intervals and M-mode echocardiography, 862
Left ventricular function at rest and during exercise in congenital complete heart block: a radionuclide angiographic evaluation, 92
Left ventricular performance during exercise: response of ear densitogram derivative, 167
Long-term ambulatory therapy with prazosin versus placebo for chronic heart failure: relation between clinical response and left ventricular function at rest and during exercise, 782
Myocardial oxygen consumption in left ventricular hypertrophy and its relation to left ventricular mechanics, 852
Natural history of the flail mitral leaflet syndrome: a serial 2-dimensional echocardiographic study, 789
Quantitative computer-assisted analysis of left ventricular wall thickening and motion by 2-dimensional echocardiography in acute myocardial infarction, 960
Relation between QRS changes and left ventricular function after coronary artery bypass grafting, 943
Response of patients after myocardial infarction to carrying a graded series of weight loads, 698
Roles of the right ventricular free wall and ventricular septum in right ventricular performance and influence of the parietal pericardium during right ventricular failure in dogs, 196
Value of ventricular ejection fraction in extensive anterior infarction to predict development of ventricular tachycardia, 686

Ventricular hypertrophy
Descriptive characteristics of the electrocardiogram from autopsied men free of cardiopulmonary disease—a basis for evaluating criteria for ventricular hypertrophy, 1275
Left atrial abnormality as an electrocardiographic criterion for the diagnosis of left ventricular hypertrophy in the presence of right bundle branch block, 381
Myocardial oxygen consumption in left ventricular hypertrophy and its relation to left ventricular mechanics, 852

Ventricular outflow
Left ventricular outflow obstruction caused by a Starr-Edwards mitral prosthesis, 652

Ventricular preexcitation
Syncope and ventricular tachycardia in patients with ventricular preexcitation, 79

Ventricular premature beats
Morphology of ventricular premature beats as an aid in the electrocardiographic diagnosis of myocardial infarction, 458

Ventricular refractoriness
Changes in ventricular refractoriness after an extrastimulus: effects of prematurity, cycle length and procainamide, 996

Ventricular relaxation
Idiopathic restrictive cardiomyopathy: differences of left ventricular relaxation and diastolic wave forms from constrictive pericarditis, 421

Ventricular septal defect
Mechanisms of closure of perimembranous ventricular septal defect, 341
Pulmonary atresia with ventricular septal defect and aortic regurgitation: diagnosis by echocardiography with diastolic vibration of both right and left sides of the ventricular septum, 419
Real-time 2-dimensional echocardiographic imaging of right-sided cardiac vegetations in ventricular septal defect, 420
Surgical anatomy of double-outlet right ventricle—a reappraisal, 555
The AJC in November 1958, 1140
Two-dimensional echocardiographic assessment of surgically closed ventricular septal defect, 325
Ventricular septal defect and subaortic stenosis: an analysis of 41 patients, 1258

Ventricular septal separation
Mitral valve E point to ventricular septal separation in infants and children, 1084

Ventricular septum
Number and size of myocytes and amount of interstitial space in the ventricular septum and in the left ventricular free wall in hypertrophic cardiomyopathy, 818
Roles of the right ventricular free wall and ventricular septum in right ventricular performance and influence of the parietal pericardium during right ventricular failure in dogs, 196

Ventricular stimulation
Changes in ventricular refractoriness after an extrastimulus: effects of prematurity, cycle length and procainamide, 996
Clinical characteristics and long-term follow-up in 119 survivors of cardiac arrest: relation to inducibility at electrophysiologic testing, 969
Electrophysiologic studies in nonsustained ventricular tachycardia: relation to underlying heart disease, 985
Identifying patients at risk of sudden death after myocardial infarction: value of the response to programmed stimulation, degree of ventricular ectopic activity and severity of left ventricular dysfunction, 1190
Programmed ventricular stimulation at a second right ventricular site: an analysis of 100 patients, with special reference to sensitivity, specificity and characteristics of patients with induced ventricular tachycardia, 1184
Results of a ventricular stimulation protocol using a maximum of 4 premature stimuli in patients without documented or suspected ventricular arrhythmias, 1214
Syncope and ventricular tachycardia in patients with ventricular preexcitation, 79

Ventricular tachycardia
A versatile pacemaker system for termination of tachycardias, 731
Clinical and electrophysiologic assessment of oral flecainide acetate for recurrent ventricular tachycardia: evidence for exacerbation of electrical instability, 746
Clinical efficacy and electrophysiology of oral propafenone for ventricular tachycardia, 1208
Effect of procainamide on dispersion of ventricular refractoriness, 279
Electrophysiologic studies in nonsustained ventricular tachycardia: relation to underlying heart disease, 985
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95
Induction of clinical ventricular tachycardia using programmed stimulation: value of third and fourth extrastimuli, 501
Long-term efficacy and toxicity of high-dose amiodarone therapy for ventricular tachycardia or ventricular fibrillation, 975
Mechanisms of ventricular arrhythmias: a theoretical model derived from the concepts of "electrotonic interaction" and "longitudinal dissociation", 1350
Programmed ventricular stimulation at a second right ventricular site: an analysis of 100 patients, with special reference to sensitivity, specificity and characteristics of patients with induced ventricular tachycardia, 1184
Relation of mode of induction and cycle length of ventricular tachycardia: analysis of 104 patients, 60
Results of a ventricular stimulation protocol using a maximum of 4 premature stimuli in patients without documented or suspected ventricular arrhythmias, 1214
Role of a catheter lead system for transvenous countershock and pacing during electrophysiologic tests: an assessment of the usefulness of catheter shocks for terminating ventricular tachyarrhythmias, 477
Syncope and ventricular tachycardia in patients with ventricular preexcitation, 79
The automatic implantable defibrillator: local ventricular bipolar sensing to detect ventricular tachycardia and fibrillation, 265
Torsades de pointes versus polymorphous ventricular tachycardia, 639
Transesophageal study of infant supraventricular tachycardia: electrophysiologic characteristics, 1002
Value of ventricular ejection fraction in extensive anterior infarction to predict development of ventricular tachycardia, 686
Ventricular tachycardia induced by atrial stimulation in patients without symptomatic cardiac disease, 1202

Ventricular volume
Effect of pericardiocentesis on right and left ventricular function and volumes in pericardial effusion, 159
R-wave amplitude changes during exercise in adolescents with left ventricular pressure and volume overload, 841

Ventricular wall motion
Assessment of regional left ventricular function by sector analysis: a method for objective evaluation of radionuclide blood pool studies, 1112
Directional ST-segment deviation in graded exercise tests correlated with motion of the individual segments of the left ventricular wall, 449
Quantitative computer-assisted analysis of left ventricular wall thickening and motion by 2-dimensional echocardiography in acute myocardial infarction, 960

Ventriculoarterial concordance
Double-inlet left ventricle with rudimentary right ventricle and ventriculoarterial concordance, 573
Ventriculography
Prognostic value of resting and submaximal exercise radionuclide ventriculography after acute myocardial infarction in high-risk patients with single and multivessel disease, 30
Ventriculography, digital subtraction
Evaluation of left ventricular contractile pattern by intravenous digital subtraction ventriculography: comparison with cineangiography and assessment of interobserver variability, 1293
Ventriculography, radionuclide
Incremental value of clinical assessment, supine exercise electrocardiography, and biplane exercise radionuclide ventriculography in the prediction of coronary artery disease in men with chest pain, 927
Verapamil
Effectiveness and safety of oral verapamil to control exercise-induced tachycardia in patients with atrial fibrillation receiving digitalis, 1197
Idiopathic paroxysmal ventricular tachycardia with a QRS pattern of right bundle branch block and left axis deviation: a unique clinical entity with specific properties, 95
Importance of metabolites in antiarrhythmic therapy, 3C
Influence of verapamil therapy on left ventricular performance at rest and during exercise in hypertrophic cardiomyopathy, 544
Life-table methods for evaluating antiarrhythmic drug efficacy in patients with paroxysmal atrial tachycardia, 1007
Multiform accelerated idioventricular rhythm in acute myocardial infarction: electrocardiographic characteristics and response to verapamil, 43
Ventricular tachycardia induced by atrial stimulation in patients without symptomatic cardiac disease, 1202
Veterans Administration Cooperative Study Group on Antihypertensive Agents
Efficacy of nadolol alone and combined with bendroflumethiazide and hydralazine for systemic hypertension, 1230
Videodensitometry
Measurement of left ventricular ejection fraction by videodensitometric analysis of digital subtraction angiograms, 871
Volume overload
Ratio of regurgitant volume to end-diastolic volume: a major determinant of ventricular response to surgical correction of chronic volume overload, 406
Volume studies
Hemodynamic responses to ergometer exercise in children and young adults with left ventricular pressure or volume overload, 563
Influence of volume loading on intraoperative hemodynamics and perioperative fluid retention in patients with valvular regurgitation undergoing prosthetic replacement, 530
Ratio of regurgitant volume to end-diastolic volume: a major determinant of ventricular response to surgical correction of chronic volume overload, 406
Wall stress
Force-velocity-length relations in hypertrophic cardiomyopathy: evidence of normal or depressed myocardial contractility, 813
William Harvey
The AJC in September 1958, 641
Wolff-Parkinson-White syndrome
Differentiation of septal from free wall accessory pathway location: observations during bundle branch block in reciprocating tachycardia in the presence of type I antiarrhythmic drugs, 751
Intermittent preexcitation in the Wolff-Parkinson-White syndrome, 292
Unusual features of bypass conduction in Wolff-Parkinson-White syndrome and atrial fibrillation, 1357
Value of the ajmaline-procainamide test to predict the effect of long-term oral amiodarone on the anterograde effective refractory period of the accessory pathway in the Wolff-Parkinson-White syndrome, 70